


CHALMERS UNIVERSITY OF TECHNOLOGY
Department of Computer Science and Engineering
Examination in Databases, TDA357/DIT620
Tuesday 17 December 2013, 14:00-18:00

Solutions

Updated 2014-11-19

Question 1. a) (Here is one suggestion. Several other designs are also accepted. For example, modelling 'Teacher', 'Parent' and 'Child' as subclasses of 'Person'.)
12 p



b) *Nurseries*(name)

Sections(nursery, name)
nursery → *Nurseries.name*

Teachers(personNumber, name, *nursery*, *section*)
(*nursery*, *section*) → *Sections.(nursery, name)*

Parents(personNumber, name, *phoneNumber*)

Children(personNumber, name, *startDate*)

EnrolledChildren(personNumber, *nursery*, *section*)
personNumber → *Children.personNumber*
(*nursery*, *section*) → *Sections.(nursery, name)*

AppliesTo(*child*, *nursery*, *choice*)
child → *Children.personNumber*
nursery → *Nurseries.name*

ParentOf(*parent*, *child*)
parent → *Parents.personNumber*
child → *Children.personNumber*

Question 2. a) In addition to the FDs listed in the question, we also have:

11 p

AB \rightarrow C
AC \rightarrow B
AD \rightarrow B
AD \rightarrow C
BD \rightarrow C
ABD \rightarrow C
ACD \rightarrow B
BCD \rightarrow A

Superkeys: AD, BD, ABD, ACD, BCD, ABCD
Keys: AD, BD

b) i) FDs violating BCNF: A \rightarrow B, B \rightarrow C, A \rightarrow C, AB \rightarrow C, AC \rightarrow B

ii) FDs violating 3NF: B \rightarrow C, A \rightarrow C, AB \rightarrow C

c) Decompose R on A \rightarrow B

{A}⁺ = {ABC}

R1(_A,B,C)
R2(_A,_D)
A \rightarrow R1.A

Decompose R1 on B \rightarrow C

{B}⁺ = {BC}

R11(_B,C)
R12(_A,B)
B \rightarrow R11.B

Update reference for R2: A \rightarrow R12.A

d) (a1,b2,c2,d2)

(a2,b1,c1,d3)

(a2,b3,c3,d1)

Question 3. a) *Offices*(city, *supplement*)

9 p

Departments(city, dname, *departmentHead*)
 city → *Offices.city*
 departmentHead → *Employees.empId*
Employees(empId, *name*, *salary*, *dept*, *city*)
 (*city*, *dept*) → *Departments.(city, dname)*

```
CREATE TABLE Offices (  
    city          VARCHAR(20) PRIMARY KEY,  
    supplement    INT DEFAULT 0,  
);
```

```
CREATE TABLE Departments (  
    city          VARCHAR(20),  
    dname         VARCHAR(20),  
    departmentHead CHAR(10),  
    PRIMARY KEY (city, dname),  
    FOREIGN KEY (city) REFERENCES Offices(city)  
    FOREIGN KEY (departmentHead) REFERENCES Employees(empId)  
        ON DELETE SET NULL  
        ON UPDATE CASCADE,  
);
```

```
CREATE TABLE Employees (  
    empId         CHAR(10) PRIMARY KEY,  
    name          VARCHAR(30),  
    salary        INT,  
    dept          VARCHAR(20),  
    city          VARCHAR(20),  
    FOREIGN KEY (city, dept) REFERENCES Departments(city, dname)  
);
```

Several of the solutions we saw used the policy “CASCADE” instead of “SET NULL” for the foreign key constraint on attribute departmentHead in table Departments. Consider what would be the consequences of this.

The solution shown above would give an error if executed, due to the forward references from the Departments table definition to the Employees table, which hasn't been created yet. This complication was ignored when marking the exam. In practice, we could omit this foreign key constraint when creating the Departments table, and then add this constraint after the Employees table has been created. This can be done using the ALTER TABLE statement, e.g.

```
ALTER TABLE Departments ADD CONSTRAINT departmentREFemployee  
    FOREIGN KEY (departmentHead) REFERENCES Employees(empId)  
    INITIALLY DEFERRED DEFERRABLE;
```

For more information on this, see the section on “Deferring Constraint Checking” on the website for the course textbook:

<http://infolab.stanford.edu/~ullman/fcdb/oracle/or-triggers.html>

```

b) CREATE ASSERTION HeadOfOwnDept CHECK
    ( NOT EXISTS (
        SELECT departmentHead
        FROM Departments JOIN Employees ON departmentHead = empId
        WHERE dname <> dept
            OR Departments.city <> Employees.city ) )

c) CREATE PROCEDURE Merge (
    IN city1 VARCHAR(20),
    IN dept1 VARCHAR(20),
    IN city2 VARCHAR(20),
    IN dept2 VARCHAR(20)
)
BEGIN
    IF ( SELECT COUNT(empId)
        FROM Employees
        WHERE city = city1 AND dept = dept1 ) >
        ( SELECT COUNT(empId)
        FROM Employees
        WHERE city = city2 AND dept = dept2 )
    THEN
        UPDATE Departments
        SET departmentHead =
            ( SELECT departmentHead
            FROM Departments
            WHERE city = city1 AND dname = dept1 )
        WHERE city = city2 AND dept = dept2;
    ENDIF;

    UPDATE Employees
    SET city = city2,
        dept = dept2
    WHERE city = city1 AND dept = dept1;

    DELETE FROM Departments WHERE city = city1 AND dname = dept1;
END;

```

Question 4. a) $\tau_{name}(\pi_{empId,name,salary+supplement}(Employees \bowtie Offices))$
6 p

b) If we assume that all sales departments have at least one employee:

$$\gamma_{city,AVG(salary) \rightarrow avgSalary}(\sigma_{dept="sales"}(Employees))$$

If there can be sales departments with no employees, we might want to include those in the result, with '0' as the average. This can be done by forming the union of the relational algebra expression given above with:

$$\pi_{city,0}(\pi_{city}(\sigma_{dname="sales"}(Departments)) - \pi_{city}(\sigma_{dept="sales"}(Employees)))$$

Question 5. a)

```
SELECT empId, name, salary + supplement AS totalSalary
FROM Employees NATURAL JOIN Offices
ORDER BY name
```

10 p

b) i)

```
SELECT dname
FROM Departments
WHERE city = "London"
AND dname NOT IN (
    SELECT dname
    FROM Departments
    WHERE city = "Paris" )
```

ii)

```
( SELECT dname
  FROM Departments
  WHERE city = "London" )
EXCEPT
( SELECT dname
  FROM Departments
  WHERE city = "Paris" )
```

c)

```
CREATE VIEW SalaryBill AS
SELECT city, SUM(salary + supplement) AS amount
FROM Employees NATURAL JOIN Offices
GROUP BY city
```

Question 6. a) The result printed by transaction T1 could be different if transaction T1 and T3 are run concurrently. Good answers will discuss the concept of *phantoms* (see Example 6.47 in the course textbook) and the schedule of operations that causes different results to be printed.

5 p

- b) i) task 1: 2
 task 2: 30
 ii) task 1: 4
 task 2: 6
 iii) It would be better to have an index on *city* (cost: 420 vs. 480).

Question 7. a) Corrected DTD is:

7 p

```
<!DOCTYPE A [
<!ELEMENT A (B*) >
<!ELEMENT B (C) >
<!ELEMENT C (#PCDATA) >
<!ATTLIST A
  a1 CDATA #REQUIRED >
<!ATTLIST B
  b1 CDATA #REQUIRED
  b2 CDATA #IMPLIED >
<!ATTLIST C
  c1 CDATA #REQUIRED >
]>
```

- b) i) <B b1="B1" b2="15">
 <C c1="red">first</C>

 <B b1="B4" b2="35">
 <C c1="red">fourth</C>

- ii) <C c1="blue">third</C>
 <C c1="red">fourth</C>

- c) <Result>
 {
 for \$b in (doc("exam.xml"))//B)
 order by \$b/C/@c1
 return <C c1="{ \$b/C/@c1 }"><B b1="{ \$b/@b1 }" /></C>
 }
 </Result>