

## Pattern matching revision (1)

Suppose `$s = "abcde"`. Do the following patterns match and, if so, what are the values of the match variables (`$1`, `$2`, etc.)?

```
$s =~ /(.*)/;
$s =~ /^(.*)/;
$s =~ /(.*$)/;
$s =~ /^(.*)$/;
$s =~ /(..)/;
$s =~ /(..)/;
$s =~ /(..)/;
$s =~ /(..)/;
$s =~ /((.)(.))/;
$s =~ /((.)(.))/;
$s =~ /((.)(.))/;
$s =~ /(.{3})/;
$s =~ /(.{,3})/;
$s =~ /(.{3,})/;
```

## bigendian.pl

```
#!/usr/bin/perl

open(MAILRC, "$ENV{'HOME'}/.mailrc") ||
    die "Can't open $ENV{'HOME'}/.mailrc: $!\n";

while (<MAILRC>) {
    chop;
    if ($_ =~ /^alias.*@/) {
        ($front, $path) = split(/@/, $_);
        @parts = split(/\./, $path);
        if ($parts[0] =~ /^(uk|de|be|com|gov)$/) {
            print $front, '@', join('.', reverse(@parts)), "\n";
        } else {
            print $front, '@', $path, "\n";
        }
    } else {
        print $_, "\n";
    }
}
```

## Pattern matching revision (2)

Suppose `$s = "abcde"`. What is the value of `$s` after each of the following statements?

```
$s =~ s/./x/;
$s =~ s/./x/g;
$s =~ s/.*x/;
$s =~ s/.*x/;
$s =~ s/.*x/;
$s =~ s/./x/;
$s =~ s/./x/g;
$s =~ s/((.)(.))/321/;
$s =~ s/((.)(.))/321/;
$s =~ s/((.)(.))/321/;
$s =~ s/[bc]/x/;
$s =~ s/[bc]/x/g;
$s =~ s/[bc]+/x/;
$s =~ s/[bd]+/x/;
$s =~ s/[bc]*x/;
```

## reverse\_complement.pl

```
#!/usr/bin/perl

$dna = "ATGAAT";

$dna =~ tr/ACGT/TGCA/;

$dna = reverse($dna);
print "Reverse complement: ", $dna, "\n";
```

## palindrome.pl

```
#!/usr/bin/perl

while (<>) {
    chomp;
    if ( $_ eq reverse($_) ) {
        print "$_ is a palindrome\n";
    }
}
```

## embl\_orf.pl

```
#!/usr/bin/perl

$sequence = "";

while ( <> ) {
    if ( /^ / ) {
        s/[^a-z]//g;
        $sequence .= $_;
    }
}

while ( $sequence =~ /(atg.*)/ ) {
    $orf = $1;
    $sequence = substr($1, 3);
    $orf =~ s/(...)/\1 /g;
    $orf =~ s/(taa|tag|tga).*/;;
    $orf =~ s/ //g;
    print "$orf\n";
}


```

## equal.pl

```
#!/usr/bin/perl

print "Type in a string (e.g. aaapaaeaaaa): ";
$s=<STDIN>;
chomp($s);
print "$s\n";

if ( $s =~ /^(a*)p(a*)e(a*)$/ &&
    length($1) + length($2) == length($3) ) {

    print "match\n";
} else {
    print "don't match\n";
}


```

### An alternative test

```
if ( $s =~ /^(a*)p(a*)e\1\2$/ ) {


```

## translate.pl

```
%standardgeneticcode = (
    "ttt"=> "Phe", "tct"=> "Ser", "tat"=> "Tyr", "tgt"=> "Cys",
    ....
    "gtg"=> "Val", "gcg"=> "Ala", "gag"=> "Glu", "ggg"=> "Gly");

while ($line = <DATA>) {
    print "$line";
    chomp($line);
    $line =~ s/(...)/\1 /g;
    @triplets = split(" ", $line);
    foreach $codon (@triplets) {
        print "$standardgeneticcode{$codon}";
    }
    print "\n\n";
}

__END__
atgcatccctttaat
tctgtctga


```

## assemble.pl

### Fragments:

```
rs International Mas
onal Mas
ernational Masters Prog
me in Bio
Bioinformatics
Chalmers Interna
rs Programme in Bio


```

### Assembled sequence:

```
Chalmers International Masters Programme in Bioinformatics


```

## my\_dotplot.pl (part 1)

```
#!/usr/bin/perl

#
# file:      my_dotplot.pl
# purpose:   read two SWISS-PROT files and produce a dotplot
#
open(SWISSPROT_FILE, $ARGV[0]) || die "Can't open $ARGV[0]: $!\n";
$seq1 = "";
while ( <SWISSPROT_FILE> ) {
    chomp;
    if ( /^      / ) {
        s/ //g;
        $seq1 .= $_;
    }
}
close SWISSPROT_FILE;
```

## my\_dotplot.pl (part 2)

```
open(SWISSPROT_FILE, $ARGV[1]) || die "Can't open $ARGV[1]: $!\n";
$seq2 = "";
while ( <SWISSPROT_FILE> ) {
    chomp;
    if ( /^      / ) {
        s/ //g;
        $seq2 .= $_;
    }
}
close SWISSPROT_FILE;

for ( $i=0 ; $i<length($seq1) ; $i++ ) {
    for ( $j=0 ; $j<length($seq2) ; $j++ ) {
        if ( substr($seq1,$i,1) eq substr($seq2,$j,1) ) {
            print "$i $j\n";
        }
    }
}
```