

# Finite Automata Theory and Formal Languages

TMV027/DIT321– LP4 2017

Lecture 5

Ana Bove

March 27th 2017

## Overview of today's lecture:


- DFA: deterministic finite automata.

## Recap: Inductive sets, recursive functions, structural induction

- To define an inductive set  $S$  we
  - state its basic elements
  - and construct new elements in terms of already existing ones;
- To define a recursive function  $f$  over an inductively defined set  $S$  we
  - define  $f$  on the basic elements
  - and define  $f$  on the *recursive* elements in terms of the result of  $f$  for the *structurally smaller* ones;
- To prove a property  $P$  over an inductively defined set  $S$  we
  - prove that  $P$  holds for the basic elements
  - and assuming that  $P$  holds of certain elements in the set, prove that  $P$  holds for all ways of constructing new ones;
- Using structural induction we prove properties over *all* (finite) elements in an inductive set;
- Mathematical/simple and course-of-values/strong induction, or mutual induction are special cases of structural induction.

# Deterministic Finite Automata

We have already seen examples of DFA:



Formally all non-drawn “actions” go to a *dead* state  $X$  in a DFA!  
We will usually not draw them.

## Deterministic Finite Automata: Formal Definition

**Definition:** A *deterministic finite automaton* (DFA) is a 5-tuple  $(Q, \Sigma, \delta, q_0, F)$  consisting of:

- 1 A finite set  $Q$  of *states*;
- 2 A finite set  $\Sigma$  of *symbols* (alphabet);
- 3 A total transition function  $\delta : Q \times \Sigma \rightarrow Q$ ;
- 4 A *start state*  $q_0 \in Q$ ;
- 5 A set  $F \subseteq Q$  of *final* or *accepting* states.

## Example: DFA

Let the DFA  $(Q, \Sigma, \delta, q_0, F)$  be given by:

$$Q = \{q_0, q_1, q_2\}$$

$$\Sigma = \{0, 1\}$$

$$F = \{q_2\}$$

$$\delta : Q \times \Sigma \rightarrow Q$$

$$\delta(q_0, 0) = q_1$$

$$\delta(q_1, 0) = q_2$$

$$\delta(q_2, 0) = q_1$$

$$\delta(q_0, 1) = q_0$$


$$\delta(q_1, 1) = q_1$$

$$\delta(q_2, 1) = q_2$$

*What does it do?*

## How to Represent a DFA?

**Transition Diagram:** Helps to understand how it works.



The start state is indicated with  $\rightarrow$ .

The final states are indicated with a double circle.

**Transition Table:**

$\delta$	0	1
$\rightarrow q_0$	$q_1$	$q_0$
$q_1$	$q_2$	$q_1$
$*q_2$	$q_1$	$q_2$

The start state is indicated with  $\rightarrow$ .


The final states are indicated with a  $*$ .

# When Does a DFA Accept a Word?

When reading the word the automaton moves according to  $\delta$ .

**Definition:** If when we read the input from the start state the automaton stops in a final state, it *accepts* the word.

**Example:**




Only the word “then” is accepted.

We have a (non-accepting) *dead* state  $q$ .

# Example: DFA

Given  $\Sigma = \{0, 1\}$  we want to accept the words that contain 010 as a subword, that is, the language  $\mathcal{L} = \{x010y \mid x, y \in \Sigma^*\}$ .

**Solution:**  $(\{q_0, q_1, q_2, q_3\}, \{0, 1\}, \delta, q_0, \{q_3\})$  given by



$\delta$	0	1
$\rightarrow q_0$	$q_1$	$q_0$
$q_1$	$q_1$	$q_2$
$q_2$	$q_3$	$q_0$
$*q_3$	$q_3$	$q_3$

## Extending the Transition Function to Strings

How can we compute what happens when we read a certain word?

**Definition:** We extend  $\delta$  to strings as  $\hat{\delta} : Q \times \Sigma^* \rightarrow Q$ .

We define  $\hat{\delta}(q, x)$  by recursion on  $x$ .

$$\begin{aligned}\hat{\delta}(q, \epsilon) &= q \\ \hat{\delta}(q, ax) &= \hat{\delta}(\delta(q, a), x)\end{aligned}$$

**Note:**  $\hat{\delta}(q, a) = \delta(q, a)$  since the string  $a = a\epsilon$ .

$$\hat{\delta}(q, a) = \hat{\delta}(q, a\epsilon) = \hat{\delta}(\delta(q, a), \epsilon) = \delta(q, a)$$

**Example:** In the example of slide 7, what are  $\hat{\delta}(q_0, 10101)$  and  $\hat{\delta}(q_0, 00110)$ ?

## Reading the Concatenation of Two Words

**Proposition:** For any words  $x$  and  $y$ , and for any state  $q$  we have that  $\hat{\delta}(q, xy) = \hat{\delta}(\hat{\delta}(q, x), y)$ .

**Proof:** We prove  $P(x) = \forall q. \forall y. \hat{\delta}(q, xy) = \hat{\delta}(\hat{\delta}(q, x), y)$  by induction on  $x$ .

*Base case:*  $\forall q. \forall y. \hat{\delta}(q, \epsilon y) = \hat{\delta}(q, y) = \hat{\delta}(\hat{\delta}(q, \epsilon), y)$ .

*Inductive step:* Our IH is that  $\forall q. \forall y. \hat{\delta}(q, xy) = \hat{\delta}(\hat{\delta}(q, x), y)$ .

We should prove that  $\forall q. \forall y. \hat{\delta}(q, (ax)y) = \hat{\delta}(\hat{\delta}(q, ax), y)$ .

For a given  $q$  and  $y$  we have that

$$\begin{aligned}\hat{\delta}(q, (ax)y) &= \hat{\delta}(q, a(xy)) && \text{by def of concat} \\ &= \hat{\delta}(\delta(q, a), xy) && \text{by def of } \hat{\delta} \\ &= \hat{\delta}(\hat{\delta}(\delta(q, a), x), y) && \text{by IH with state } \delta(q, a) \\ &= \hat{\delta}(\hat{\delta}(q, ax), y) && \text{by def of } \hat{\delta}\end{aligned}$$

## Another Definition of $\hat{\delta}$

Recall that we have 2 descriptions of words:  $a(b(c(d\epsilon))) = (((\epsilon a)b)c)d$ .

We can define  $\hat{\delta}'$  as: 
$$\begin{aligned}\hat{\delta}'(q, \epsilon) &= q \\ \hat{\delta}'(q, xa) &= \delta(\hat{\delta}'(q, x), a)\end{aligned}$$

**Proposition:**  $\forall x. \forall q. \hat{\delta}(q, x) = \hat{\delta}'(q, x)$ .

**Proof:** We prove  $P(x) = \forall q. \hat{\delta}(q, x) = \hat{\delta}'(q, x)$  by induction on  $x$ .

Observe that  $xa$  is a special case of  $xy$  where  $y = a$ .

*Base case* is trivial.

*Inductive step:* The IH is  $\forall q. \hat{\delta}(q, x) = \hat{\delta}'(q, x)$ , then

$$\begin{aligned}\hat{\delta}(q, xa) &= \hat{\delta}(\hat{\delta}(q, x), a) && \text{by previous prop} \\ &= \delta(\hat{\delta}(q, x), a) && \text{by def of } \hat{\delta} \\ &= \delta(\hat{\delta}'(q, x), a) && \text{by IH} \\ &= \hat{\delta}'(q, xa) && \text{by def of } \hat{\delta}'\end{aligned}$$

## Language Accepted by a DFA

**Definition:** The *language* accepted by the DFA  $(Q, \Sigma, \delta, q_0, F)$  is the set  $\mathcal{L} = \{x \mid x \in \Sigma^*, \hat{\delta}(q_0, x) \in F\}$ .

**Example:** In the example on slide 7, 10101 is accepted but 00110 is not.

**Note:** We could write a program that simulates a DFA and let the program tell us whether a certain string is accepted or not!

## Functional Representation of a DFA Accepting $x010y$

```
data Q = Q0 | Q1 | Q2 | Q3
```

```
data S = 0 | 1
```

```
final :: Q -> Bool
```

```
final Q3 = True
```

```
final _ = False
```

```
delta :: Q -> S -> Q
```

```
delta Q0 0 = Q1
```

```
delta Q0 1 = Q0
```

```
delta Q1 0 = Q1
```

```
delta Q1 1 = Q2
```

```
delta Q2 0 = Q3
```

```
delta Q2 1 = Q0
```

```
delta Q3 _ = Q3
```

## Functional Representation of a DFA Accepting $x010y$

```
delta_hat :: Q -> [S] -> Q
```

```
delta_hat q [] = q
```

```
delta_hat q (a:xs) = delta_hat (delta q a) xs
```

```
accepts :: [S] -> Bool
```

```
accepts xs = final (delta_hat Q0 xs)
```


## Accepting by End of String

We could use an automaton to identify properties of a certain string.

What is important then is the state the automaton is in when we finish reading the input.


The set of final states is actually of no interest here and can be omitted.

**Example:** The following automaton determines whether a binary number is even or odd.




## Product of Automata

Given this automaton over  $\{0, 1\}$  accepting strings with an even number of 0's:



State A: even number of 0's  
State B: odd number of 0's

and this automaton accepting strings with an odd number of 1's:




State C: even number of 1's  
State D: odd number of 1's

How can we use them to accept the strings with an even nr. of 0's *and* an odd nr. of 1's?

We can *run* them in parallel!



## Example: Product of Automata



State  $AC$ : even nr. of 0's and 1's

State  $BC$ : odd nr. of 0's and even nr. of 1's

State  $AD$ : even nr. of 0's and odd nr. of 1's

State  $BD$ : odd nr. of 0's and 1's

Which is(are) the final state(s)?  $AD$ !

## Product Construction

**Definition:** Given two DFA  $D_1 = (Q_1, \Sigma, \delta_1, q_1, F_1)$  and  $D_2 = (Q_2, \Sigma, \delta_2, q_2, F_2)$  with the *same alphabet*  $\Sigma$ , we can define the *product*  $D = D_1 \times D_2 = (Q, \Sigma, \delta, q_0, F)$  as follows:

- $Q = Q_1 \times Q_2$ ;
- $\delta((r_1, r_2), a) = (\delta_1(r_1, a), \delta_2(r_2, a))$ ;
- $q_0 = (q_1, q_2)$ ;
- $F = F_1 \times F_2$ .


**Proposition:**  $\hat{\delta}((r_1, r_2), x) = (\hat{\delta}_1(r_1, x), \hat{\delta}_2(r_2, x))$ .

**Proof:** By induction on  $x$ .

## Example: Product of Automata

Consider a system where users have three states: *idle*, *requesting* and *using*.


Each user  $k$  is represented by a simple automaton:



If we have only 2 users, how does the whole system look like?

## Example: Product of Automata (cont.)

The complete system is represented by the product of these 2 automata and it has  $3 * 3 = 9$  states.



## Language Accepted by a Product Automaton

**Proposition:** Given two DFA  $D_1$  and  $D_2$ , then  
 $\mathcal{L}(D_1 \times D_2) = \mathcal{L}(D_1) \cap \mathcal{L}(D_2)$ .

**Proof:**  $\hat{\delta}(q_0, x) = \hat{\delta}((q_1, q_2), x) = (\hat{\delta}_1(q_1, x), \hat{\delta}_2(q_2, x)) \in F$   
iff  $\hat{\delta}_1(q_1, x) \in F_1$  and  $\hat{\delta}_2(q_2, x) \in F_2$ .  
That is,  $x \in \mathcal{L}(D_1)$  and  $x \in \mathcal{L}(D_2)$  iff  $x \in \mathcal{L}(D_1) \cap \mathcal{L}(D_2)$ .

**Note:** It can be quite difficult to directly build an automaton accepting the intersection of two languages.

**Exercise:** Build a DFA for the language that contains the subword *abb* twice and an even number of *a*'s.

## Variation of the Product

**Definition:** We define  $D_1 \uplus D_2$  similarly to  $D_1 \times D_2$  but with a different notion of accepting state:

a state  $(r_1, r_2)$  is accepting iff  $r_1 \in F_1$  *or*  $r_2 \in F_2$


**Proposition:** Given two DFA  $D_1$  and  $D_2$ , then  
 $\mathcal{L}(D_1 \uplus D_2) = \mathcal{L}(D_1) \cup \mathcal{L}(D_2)$ .

**Example:** In the automaton in slide 16, which is(are) the final state(s) if we want the strings with an even number of 0's *or* an odd number of 1's?

*AC, AD and BD!*

## Example: Variation of the Product

Let us define an automaton accepting strings with lengths multiple of 2 or of 3.




## Complement

**Definition:** Given the automaton  $D = (Q, \Sigma, \delta, q_0, F)$  we define the *complement*  $\overline{D}$  of  $D$  as the automaton  $\overline{D} = (Q, \Sigma, \delta, q_0, Q - F)$ .

**Proposition:** Given a DFA  $D$  we have that  $\mathcal{L}(\overline{D}) = \Sigma^* - \mathcal{L}(D) = \overline{\mathcal{L}(D)}$ .

**Example:** We transform an automaton accepting strings containing 10 into an automaton accepting strings *NOT* containing 10.




## Accessible Part of a DFA

Consider the DFA  $D = (\{q_0, \dots, q_3\}, \{0, 1\}, \delta, q_0, \{q_1\})$  given by



Intuitively, this is equivalent to the DFA



which is the *accessible* part of the  $D$ .

$q_2$  and  $q_3$  are not accessible from the start state and can be removed.

## Accessible States

**Definition:** The set  $\text{Acc} = \{\hat{\delta}(q_0, x) \mid x \in \Sigma^*\}$  is the set of *accessible* states (from the state  $q_0$ ).

**Proposition:** If  $D = (Q, \Sigma, \delta, q_0, F)$  is a DFA, then  $D' = (Q \cap \text{Acc}, \Sigma, \delta|_{Q \cap \text{Acc}}, q_0, F \cap \text{Acc})$  is a DFA such that  $\mathcal{L}(D) = \mathcal{L}(D')$ .

**Proof:** Notice that  $D'$  is well defined and that  $\mathcal{L}(D') \subseteq \mathcal{L}(D)$ .

If  $x \in \mathcal{L}(D)$  then  $\hat{\delta}(q_0, x) \in F$ . By definition  $\hat{\delta}(q_0, x) \in \text{Acc}$ .

Hence  $\hat{\delta}(q_0, x) \in F \cap \text{Acc}$  and then  $x \in \mathcal{L}(D')$ .

# Regular Languages

**Recall:** Given an alphabet  $\Sigma$ , a *language*  $\mathcal{L}$  is a subset of  $\Sigma^*$ , that is,  $\mathcal{L} \subseteq \Sigma^*$ .

**Definition:** A language  $\mathcal{L} \subseteq \Sigma^*$  is *regular* iff there exists a DFA  $D$  on the alphabet  $\Sigma$  such that  $\mathcal{L} = \mathcal{L}(D)$ .

**Proposition:** If  $\mathcal{L}_1$  and  $\mathcal{L}_2$  are regular languages then so are  $\mathcal{L}_1 \cap \mathcal{L}_2$ ,  $\mathcal{L}_1 \cup \mathcal{L}_2$  and  $\Sigma^* - \mathcal{L}_1$ .

**Proof:** ...

## Overview of Next Lecture

Sections 2.3–2.3.5, brief on 2.4:

- NFA: Non-deterministic finite automata;
- Equivalence between DFA and NFA.