


# Filtering theory: Battling Aliasing with Antialiasing

Department of Computer Engineering  
Chalmers University of Technology

# What is aliasing?




# Why care at all?



- Quality!!
- Example: Final fantasy
  - The movie against the game
  - In a broad way, and for most of the scenes, the only difference is in the number of samples and the quality of filtering

# Physical correctness often less important than filtering




# Motion blur (long exposure times)




# Computer graphics is a SAMPLING & FILTERING process!

- Pixels




[Demo](#)

- Texture




- Time






# Sampling and reconstruction



- Sampling: from continuous signal to discrete
- Reconstruction recovers the original signal
- Care must be taken to avoid aliasing
- Nyquist theorem: *the sampling frequency should be at least 2 times the max frequency in the signal*
- Often impossible to know max frequency (bandlimited signal), or the max frequency is often infinite...

# Sampling theorem


- Nyquist theorem: *the sampling frequency should be at least 2 times the max frequency in the signal*






# Sampling is simple, now turn to: Reconstruction


- Assume we have a bandlimited signal (e.g., a texture)
- Use filters for reconstruction



# Reconstruction with box filter (nearest neighbor)





# Reconstruction with tent filter



Nearest neighbor


Linear



32x32  
texture

$$\text{sinc}(x) \equiv \begin{cases} 1 & \text{for } x = 0 \\ \frac{\sin x}{x} & \text{otherwise,} \end{cases}$$

# Reconstruction with sinc filter





- In theory, the ideal filter
- Not practical (infinite extension, negative)

# Resampling

Enlarging or diminishing signals


- Enlarging easy: just use filter (e.g. box or tent) to compute intermediate values.
- For minification, one way is to take the average of the corresponding samples

Nearest neighbor





32x32  
texture

# Screen-based Antialiasing



- Hard case: edge has infinite frequency
- Supersampling: use more than one sample per pixel







# Formula and... examples of different schemes

$$p(x, y) = \sum_{i=1}^n w_i c(i, x, y)$$

- $w_i$  are the weights in  $[0, 1]$
- $c(i, x, y)$  is the color of sample  $i$  inside pixel




# Spiral from the Manderbrot set






# Spiral from the Manderbrot set




# Spiral from the Manderbrot set






# Spiral from the Manderbrot set




# Jittered sampling

- Regular sampling cannot eliminate aliasing – only reduce it!
- Why?
- Because edges represent infinite frequency
- Jittering replaces aliasing with noise
- Example:








ROCKET  
BAR

SCOCK  
MENDRO

# Moire example



Moire patterns

Noise + gaussian blur  
(no moire patterns)




# Patterns


- Checker texture:



No AA




With AA



Sinc-filter AA


Point: good AA filtering is important for visual quality

# SSAA, MSAA and CSAA




- Super Sampling Anti Aliasing
  - Stores duplicate information (color, depth, stencil) for each sample and fragment shader is run for each sample.
  - Corresponds to rendering to an oversized buffer and downfiltering.
- Multi Sampling Anti Aliasing
  - Shares some information between samples. E.g:
    - Fragment shader only run once per fragment.
    - Stores a color per sample and typically also a stencil and depth-value per sample
- Coverage Sampling Anti Aliasing
  - Idea: Don't even store **unique** color and depth per sample. Store index in each subsample, into a buffer per pixel of 4-8 colors+depths.
  - fragment shader executed once per fragment
  - E.g., Each sample holds a 2-bit index into a storage of up to four colors per pixel

16x CSAA



# Another multisampling technique


## Quincunx




- Generate 2 samples per pixel at the same time
- $w_1=0.5$ ,  $w_2=0.125$ ,  $w_3=0.125$ ,  $w_4=0.125$ ,  $w_5=0.125$  (2D tent filter)
- All samples gives the same effect on the image (mid pixel = 0.5, corner pixels =  $4 \cdot 0.125 = 0.5$ )
- Was available on NVIDIA GeForce3 and up

# Yet another scheme: FLIPQUAD multisampling


- Recap, RGSS:
  - One sample per row and column
- Combine good stuff from RGSS and Quincunx



[Demo](#)





- Weights: 0.25 per sample
- Performs better than Quincunx





# ATI Radeon 2900



From [www.pcper.com](http://www.pcper.com)

- Examples of 2 filter modes

# What is important:

- Aliasing in 3 different areas:
  - Pixels, textures, time
- Filter: box, tent, sinc
- Different sampling schemes
  - Quincunx, Grid, Rotated Grid Super Sampling (RGSS), checker, 8-rooks
- Jittering:
  - 1) How it works. 2) Trades undersampling artifacts for noise (typically preferred by humans)
- Supersampling, multisampling, (coverage sampling)
- Quincunx – pattern and weights
  - Good because costs only 2 samples/pixel on average, but uses 5 samples per pixel

# More on filtering theory and practice

- Especially important for pixels and filtering of textures
- More about texturing in next lecture

**THE END**