

# Lecture 7: Functional computation: Preamble to functional programming

K. V. S. Prasad

TDA384/DIT391 Principles of Concurrent Programming  
Chalmers Univ. and Univ. of Gothenburg

Friday 7 Feb 2020

# If you haven't seen functional programming (FP) before

---

For now, take *functional programming* as a *name*, what you call something.

*What's in a name? That which we call a rose*

*By any other name would smell as sweet;*

— Juliet, in *Romeo and Juliet*, Act II, Scene 2

The *word functional* can mean (the Oxford Dictionary gives more):

- 1 Relating to the way in which something works or operates.
  - ▶ *there are important functional differences between left and right brain*
- 2 Designed to be practical and useful, rather than attractive.
  - ▶ *a small, functional bathroom*
- 3 In operation; working.
  - ▶ *the museum will be fully functional from the opening of the festival*
- 4 Mathematics: Relating to a variable quantity whose value depends upon one or more other variables.


Only the last applies. And even that tells you little.

# Our first computations are *functional*! (in the FP sense)

- $5 + 3 = 8$ 
  - ▶ where  $5 + 3$  is the **sum** and  $8$  is the **answer**.
  - ▶ The **answer** is often a *name*, which we understand without further ado.
- But the symmetry in  $5 + 3 = 8$  is partly misleading.
  - ▶  $8 = 5 + 3$  is true, but no child calls  $8$  the **sum** and  $5 + 3$  the **answer**.
    - ★  $5 + 3$  is not a name.
    - ★ Also,  $8$  can also be  $6+2$ , etc.
- So  $5 + 3 \rightarrow 8$  is better notation for this computation.
  - ▶  $5 + 3$  is the *expression* to be *evaluated* and  $8$  is a *canonical term*
    - ★ A *canonical term* cannot be reduced further.
    - ★ It is typically a *name*.
  - ▶ Evaluation may consist of several *reductions*  $\rightarrow$ , as in  
 $2*(5+3) \rightarrow 2*8 \rightarrow 16$ .  
Evaluation stops at a *canonical term*,  $16$ .
    - ★ When Europe learned the Indian decimal numerals,  $16 \rightarrow XVI$ .
    - ★ So what is canonical is a convention.

# The answer doesn't change during evaluation

$5+3$  and  $8$  do have the same *value*, *eight*. So  $5+3=8$  is OK, even in FP.



Depending on study of arithmetic and language, we might

- see both  $2*(5+3)$  and  $16$  as *sixteen* almost equally fast.
  - ▶  $2*(5+3)$ ,  $2*8$  and  $16$  have the same value even in a larger expression
- see (again, as adults) that
  - ▶ *sixteen* is *ten+six*, and that  $8$  is the name for the 7th. successor of  $1$ .
- *Structured names* often become simple names.
  - ▶ A *spårvagn* is usually just seen as a *tram*, not as a *track+carriage*.
  - ▶ *Mr. Johnson* is not *John's son* (though someone was, at some point).

# What *does* change in functional computation? *knowledge*

---

- Note that in the mini-computation  $5 + 3 \rightarrow 8$ 
  - ▶ Neither 5 nor 3 "became" 8!
  - ▶ In fact, *no data changed at all*, not even the expression  $5 + 3$ .
- Then why bother compute?
  - ▶ What changed was our *knowledge*. We now know the *answer*, 8.
- Compare: "Do you see *the girl in the blue blouse*?"  
"Ah, you mean *Alice*."
  - ▶ Evaluation, *the girl in the blue blouse*  $\rightarrow$  *Alice*  
*a description*  $\rightarrow$  *a name* (a canonical value)

# Function definitions and programs in FP

---

So far, we have only seen arithmetic evaluations, but we can illustrate FP by defining some arithmetic functions ourselves, though these are built-in to most practical FP systems.

Even in our toy system, we shall take *8* as the name for the 7th. successor of 1, or more conveniently the 8th. successor of 0. These integer names are taken to be defined as

```
1 1 = succ(0)
2 2 = succ(1), ... and so on
```

+ is the *infix* version of the function *add*, defined *recursively* by

```
1 add(0, y) = y
2 add(succ(x), y) = succ(add(x, y))
```

This definition and the built-in integer names constitute a *program* in FP.

# Running FP programs

---

Running the program consists of giving it an expression to evaluate, using definitions in the program.

To evaluate an expression *pattern match* it against the given definitions.

So  $\text{add}(2,5) \rightarrow \text{add}(\text{succ}(\text{succ}(0)),5)$  by the definition of 2  
 $\rightarrow \text{succ}(\text{add}(\text{succ}(0),5))$  by line 2 of `add`  
 $\rightarrow \text{succ}(\text{succ}(\text{add}(0,5)))$  by line 2 of `add`  
 $\rightarrow \text{succ}(\text{succ}(5))$  by line 1 of `add`  
 $\rightarrow \text{succ}(6)$  by the definition of 6  
 $\rightarrow 7$  by the definition of 7

So each reduction step replaces the left-hand-side (*lhs*) of some definition clause by the right-hand-side (*rhs*).

We can run the program with new input. Give it `add(3,5)`, for example. Once we load a new program into an FP system, it will do a *read-eval-print* loop. (Read the new input, evaluate it, print the result).

# Variables in FP

---

- The variables in the definition of `add` are *parameters*, as for functions in mathematics. In `add(3,4)`, we have `y=4` and `y` doesn't change for the duration of the evaluation, the *lifetime* of the variable.
- Names like `2` are defined in terms of previously known terms.
- Most FP languages allow "Let" as in algebra:
  - ▶ We are told "Mother gave me some apples. I gave 2 to Tim, and now have 3 left. How many did mother give me?"
    - ★ We go "Let `x` be the number of apples", so `x-2=3`", so `x=5`.
    - ★ Notice that `x` here never changes. It was always 5, but we learn that only after solving the equation. The *scope* of the unknown `x` is only this problem. We can re-use `x` later.
- Variables that actually *change* while in the same scope and lifetime seem only to occur in imperative programming!



# No commands in FP

---

- The only commands we've seen are *read*, *eval*, *print*. They are run-time system commands, not part of the program.
- No commands means no loops and no sequencing!
  - ▶ We use recursion instead of loops in FP.
  - ▶ We don't have sequencing either, instead we use "and" of timeless *statements* as in mathematics.
    - ★ The term *statements* is a misnomer when used to describe imperative languages. Those are *commands*.
  - ▶ Sometimes we use *if-then-else* in FP instead of pattern matching.
    - ★ The *if-then* used in imperative programming (else go on to the next command) makes no sense in FP.
- But Erlang *processes send* and *receive messages*, and *spawn* other processes. Those are commands, and change the state. They are not part of the FP subset of Erlang.

© 2019 K. V. S. Prasad

Except where otherwise noted, this work is licensed under the Creative Commons Attribution-ShareAlike 4.0 International License.

To view a copy of this license, visit

<http://creativecommons.org/licenses/by-sa/4.0/>.