


# TDA362/DIT224 – Computer Graphics



**Teacher: Ulf Assarsson**  
**Chalmers University of Technology**



# This Course

- Algorithms!




Real-time Rendering




Understanding Ray Tracing

# Course Info

- Study Period 2 (lp2)
- Real Time Rendering, 4<sup>th</sup> edition
  - Available on Cremona at discount.
- [Schedule](#):
  - Mon 13-15, w2 only
  - Tues 10-12,
  - Fri 9-12,
    - ~14 lectures in total, ~2 / week
  - Lab slots:
    - Mon: 17-21
    - Tues: 13-21
    - Wed: 13-21
    - Thur: 9-12 + 17-21
- [Homepage](#):
  - Google “TDA362” or
  - “Computer Graphics Chalmers”








# Tutorials

- All laborations are in C++ and OpenGL
  - Industry standard
  - No previous (C++) knowledge required
- Six shorter tutorials that go through basic concepts
  - Basics, Textures, Camera & Animation, Shading, Render-to-texture, Shadow Mapping
- One slightly longer lab where you put everything together
  - Real-time rendering
  - or
  - Path tracer


# Tutorials 1-6




Rendering a  
triangle




Textures




Animation



Shading




Render to  
textures



Shadow maps

# Project

Choose at least 1 from:



# Tutorials

- Info: <http://www.cse.chalmers.se/edu/course/TDA362/tutorials.html>
- To pass the tutorials:
  - Present your solutions to lab assistant.
  - Deadlines:
    - Lab 1+2+3: Thursday week 2.
    - Lab 4 + 5: Thursday week 3.
    - Lab 6: Thursday week 4
    - Lab 7 / Project: Thursday week 7.
- Do the tutorials in groups (Labgrupper) of two, or individually if you prefer.
- First deadline: Thurs. next week.



# Computer Graphics:

## – two main principles...

...for computer-generating the appearance of a virtual 3D scene:


- Ray Tracing:

- **Forward** ray tracing: Tracing light beams from light sources and how they reach the virtual camera.
- **Backward** ray tracing: Tracing the light beams backwards, i.e., from the camera and all the way back to the light sources.



- Rasterization:


- Draw the scene triangles one by one onto the pixels of the screen and, for each pixel, compute the color (by regarding light sources and perhaps also surrounding objects).





# Forward Ray Tracing

One way to form an image is to follow rays of light (or photons) from a point source finding which rays enter the lens of the camera. Each ray of light may have multiple interactions with objects before being absorbed or going to infinity.




**Pros:** Algorithmically very easy to generate physically correct images.

**Cons:** Extremely slow. Only few of the traced rays will hit the camera sensor and actually contribute to the image.

*“Trace some trillion photons and you probably have a good image.”*

# Backward Ray Tracing

- Follow rays of light backwards, i.e., from the camera sensor (center of projection) into the scene until they either are absorbed by objects or go off to infinity.
  - At each bounce position, try to generate complete light paths (camera to a light) by tracing a ray to each light source.
  - Cons: Complicated but possible to get accurate convergence. We must introduce assumptions and guesses, essentially since we do not know exactly where on the sensors the photons landed (e.g., we do not know photon density) nor from which direction the photon came (in the case of a camera lens). Combinations of forward + backwards ray tracing are used to remedy this.
  - Pros: Faster but still slow compared to rasterization





*“Trace a billion rays backwards and you probably have a great image.”*

# Real-Time Rendering *based on Rasterization*



Overview of the  
Graphics Rendering Pipeline  
and OpenGL

# 3D-models: surfaces are constructed by triangles.




4926 triangles

## Why triangles?

Each triangle is projected onto the image plane using a virtual camera.


### 4D Matrix Multiplication

$$\begin{bmatrix} x' \\ y' \\ z' \\ w' \end{bmatrix} = \begin{bmatrix} s_x & \bullet & \bullet & t_x \\ \bullet & s_y & \bullet & t_y \\ \bullet & \bullet & s_z & t_z \\ 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \\ z \\ w \end{bmatrix}$$







The graphics card draws the triangles onto the screen.



# How compute pixel color?

Use some *shading* model based on surrounding light and triangle's material:



At rendering (for each frame):



- The graphics card computes, per pixel (or per vertex and using interpolation per pixel), the incoming light to the camera through each pixel. This **incoming light** to a camera pixel **depends on the light sources and the triangle's material**.

# Triangle colors:

are typically multiplied with the lighting contribution. Instead of one single color per triangle, you can use a *texture* (=image) – to simulate details and materials.





- The **texture** color is modulated (often just multiplied) with the light intensity to get the final pixel color.



Specify which part of the texture that each triangle covers.

# Texture Maps




Each triangle's mapping to texture space



# Summary of this very simple type of shading model:

There are many others. Details are given in Lecture 3+4.



triangles



lighting



+ texturing






# The Graphics Rendering Pipeline

The Application stage, geometry stage, and rasterizer stage

# You say that you render a ”3D scene”, but what is it?


- First, of all to take a picture, it takes a camera – a virtual one.
  - Decides what should end up in the final image
- A 3D scene is:
  - Geometry (triangles, lines, points, and more)
  - Light sources
  - Material properties of geometry
    - Colors, shader code ,
    - Textures (images to glue onto the geometry)
- A triangle consists of 3 vertices
  - A vertex is 3D position, and may have an attached normal, color, texture coordinate, ....




# Lecture 1: Real-time Rendering

## The Graphics Rendering Pipeline

- The pipeline is the "engine" that creates images from 3D scenes
- Three conceptual stages of the pipeline:
  - Application (executed on the CPU)
  - Geometry
  - Rasterizer






# The APPLICATION stage

- Executed on the CPU
  - Means that the programmer decides what happens here
- Examples:
  - Collision detection
  - Speed-up techniques
  - Animation
- Most important task: feed geometry stage with the primitives (e.g. triangles) to render

# The GEOMETRY stage

- Task: "geometrical" operations on the input data (e.g. triangles)
- Allows:
  - Move objects (matrix multiplication)
  - Move the camera (matrix multiplication)
  - Lighting computations per triangle vertex
  - Project onto screen (3D to 2D)
  - Clipping (avoid triangles outside screen)
  - Map to window





Application

Geometry

Rasterizer

# The GEOMETRY stage

Model & View Transform


Vertex Shading

Projection

Clipping


Screen Mapping

- (Instances)
- Vertex Shader
  - A program executed per vertex
    - Transformations
    - Projection
    - E.g., color per vertex
- Clipping
- Screen Mapping




# The RASTERIZER stage

- Main task: take output from GEOMETRY and turn into visible pixels on screen



- Computes color per pixel, using fragment shader (=pixel shader)
  - textures, (light sources, normal), colors and various other per-pixel operations
- And visibility is resolved here using the fragment's z-value to check its visibility

# The rasterizer stage



## Triangle Setup:

- collect three vertices + vertex shader output (incl. normals) and make one triangle.

## Triangle Traversal

- Scan conversion

## Pixel Shading

- Compute pixel color

## Merging:

- output color to screen

# The three stages' correlation to hardware

The Application stage, geometry stage, and rasterizer stage

# Rendering Pipeline and Hardware


CPU

GPU

Application Stage

Geometry Stage


Rasterization Stage





# Rendering Pipeline and Hardware

CPU

GPU



## HARDWARE





Display




# Hardware design

Vertex shader:

- Lighting (colors)
- Screen space positions



Geometry



## Geometry Stage

Vertex  
shader

Geometry  
shader

Clipping

Screen mapping

Triangle Setup


Triangle Traversal

## HARDWARE

Pixel  
shader

Merger


Display



# Hardware design

Geometry shader:

- One input primitive
- Many output primitives



## Geometry Stage

Vertex  
shader

Geometry  
shader

Clipping

Screen mapping

Triangle Setup


Triangle Traversal

## HARDWARE

Pixel  
shader


Merger

Display



# Hardware design

Clips triangles against the unit cube (i.e., "screen borders")



## Geometry Stage

Vertex  
shader

Geometry  
shader

Clipping

Screen mapping

Triangle Setup


Triangle Traversal

## HARDWARE

Pixel  
shader

Merger


Display



# Hardware design

Maps window size to  
unit cube

Geometry stage always operates inside  
a unit cube  $[-1,-1,-1]-[1,1,1]$   
Next, the rasterization is made against a  
draw area corresponding to window  
dimensions.



## Geometry Stage

Vertex  
shader

Geometry  
shader

Clipping

Screen mapping

Triangle Setup


Triangle Traversal

## HARDWARE

Pixel  
shader


Merger

Display



# Hardware design

Collects three vertices  
into one triangle



Rasterizer Stage

Vertex  
shader

Geometry  
shader

Clipping

Screen mapping

Triangle Setup


Triangle Traversal

HARDWARE

Pixel  
shader


Merger

Display



# Hardware design

Creates the fragments/pixels for the triangle



Rasterizer Stage

Vertex  
shader

Geometry  
shader

Clipping

Screen mapping

Triangle Setup


Triangle Traversal

HARDWARE

Pixel  
shader





Merger

Display





# Hardware design



Rasterizer

Pixel Shader:  
Compute color  
using:

- Textures
- Interpolated data  
(e.g. Colors +  
normals) from  
vertex shader

Vertex  
shader

Geometry  
shader

Clipping

Screen mapping


Triangle Setup

Triangle Traversal

Pixel  
shader

Merger

HARDWARE



Display

# Hardware design


The merge units update the frame buffer with the pixel's color



Rasterizer Stage


Frame buffer:

- Color buffers
- Depth buffer
- Stencil buffer



# Graphics Pipelines


We focus on:



Compatibility:


- OpenGL 4.3
  - WebGL 2
  - OpenGL ES 3
- i.e., phones, web, PCs...

Full traditional pipeline:



Mesh shaders (still very new):

TASK/MESH PIPELINE




Compatibility:

- OpenGL 4.5 extension
- DirectX 12 Ultimate
- Vulkan







# What is vertex and fragment (pixel) shaders?



- Vertex shader: reads from textures  
Writes output data per vertex, which are interpolated and input to each fragment shader invocation.
- Fragment shader: reads from textures, writes to pixel color
- Memory: Texture memory (read + write) typically 4 GB – 16 GB
- Program size: the smaller the faster

- For each vertex, a vertex program (vertex shader) is executed
- For each fragment (pixel) a fragment program (fragment shader) is executed

# Shaders



// Vertex Shader

#version 420

layout(location = 0) in vec3 vertex;

layout(location = 1) in vec3 color;

out vec3 outColor;

uniform mat4 modelViewProjectionMatrix;

void main()

{

gl\_Position = modelViewProjectionMatrix \*  
vec4(vertex,1);

outColor = color;

}

// Fragment Shader:

#version 420

precision highp float;

in vec3 outColor;

layout(location = 0) out vec4 fragColor;

// Here, location=0 means that we draw to  
frameBuffer[0], i.e., the screen.

void main()

{

fragColor = vec4(outColor,1);

}

# Shaders

## Example of a more advanced fragment shader:

```
precision highp float;
```


```
uniform sampler2D tex0;  
uniform sampler2D tex1;  
uniform sampler2D tex2;  
uniform sampler2D tex3;
```

```
uniform float val;
```

```
varying vec2 uv_0;  
varying vec3 n;
```

```
void main(void) {  
    gl_FragColor.rgb = compute_color();  
    gl_FragColor.a = 1.0;  
}
```

```
vec3 compute_color()  
{  
    vec4 gbuffer = texture2D(tex0, uv_0);  
    int intColor = int(gbuffer.x);  
    int r = (intColor/256)/256;  
    intColor -= r*256*256;  
    int g = intColor/256;  
    intColor -= g*256;  
    int b = intColor;  
    vec3 color = vec3(float(r)/255.0, float(g)/255.0,  
float(b)/255.0 );  
  
    normal = vec3(sin(gbuffer.g) * cos(gbuffer.b),  
sin(gbuffer.g)*sin(gbuffer.b), cos(gbuffer.g));  
    vec2 ang = gbuffer.gb*2.0-vec2(1.0);  
    vec2 scth = vec2( sin(ang.x * PI), cos(ang.x * PI));  
    vec2 scphi = vec2(sqrt(1.0 - ang.y*ang.y), ang.y);  
    normal = -vec3(scth.y*scphi.x, scth.x*scphi.x, scphi.y);  
    roughness = 0.05;  
    specularity = 1.0;  
    fresnelR0 = 0.3;  
    return color;  
}
```





# OpenGL

(Open Graphics Library)

## CPU-side

Language:

C++



API:

OpenGL (Direct3D)

Window system: SDL (Cocoa, Win32,...)



C++:

```
float positions[] = {  
// X      Y      Z      per vertex  
  0.0f,    0.5f,    1.0f, // v0  
 -0.5f,   -0.5f,    1.0f, // v1  
  0.5f,   -0.5f,    1.0f, // v2  
  ...  
  // ... vn
```

```
};  
// and any other per-vertex data, e.g.:
```

```
float colors[] = {  
// R      G      B  
  1.0f,    0.0f,    0.0f, // c0  
 -0.0f,    1.0f,    0.0f, // c1  
  0.0f,    0.0f,    1.0f, // c2  
  ...  
  // ... cn
```

```
};  
float normals[] = {...};  
float textureCoords[] = {...};
```



## OpenGL:

### Vertex-buffer objects

```
uint32 positionBuffer; // x,y,z per vertex  
uint32 colorBuffer;    // r,g,b per vertex
```

### Vertex-Array object // groups the arrays

```
uint32 vertexArrayObject;
```

### Shaders

```
uint32 vertexShader;  
uint32 fragmentShader;  
uint32 shaderProgram;
```

## GPU-side

Language: GLSL



used for vertex-, geometry-, and  
fragment shaders


### Vertex Shader:

```
#version 420
```

```
layout(location = 0) in vec3 position;  
layout(location = 1) in vec3 color;
```

```
out vec3 outColor; // r,g,b
```

```
void main()  
{  
    gl_Position = vec4(position, 1.0);  
    outColor = color;  
}
```



### Fragment Shader:

```
#version 420
```

```
precision highp float; // required by GLSL spec Sect 4.5.3  
                        // (though nvidia does not, amd does)
```

```
layout(location = 0) out vec4 fragmentColor;  
in vec3 outColor;
```

Per-pixel-interpolated value

```
void main()  
{  
    // fragmentColor = vec4(1,1,1,1);  
    fragmentColor.rgb = outColor;  
    fragmentColor.a = 1.0;  
}
```

## CPU-side

Language: C++  
API: OpenGL (Direct3D)  
Window system: SDL (Cocoa, Win32,...)



C++:


```
float positions[] = {  
    // X      Y      Z  
    0.0f,    0.5f,  1.0f, // v0  
    -0.5f,   -0.5f,  1.0f, // v1  
    0.5f,   -0.5f,  1.0f  // v2
```



How to connect the  
vertexArrayObject as vertex  
shader input (position, color):

```
    0.0f,    0.0f,  1.0f // c2  
    ...                // ... cn  
};
```

```
float normals[] = {...};  
float textureCoords[] = {...};
```



## OpenGL:

### Vertex-buffer objects

```
uint32 positionBuffer; // x,y,z per vertex  
uint32 colorBuffer;    // r,g,b per vertex
```

### Vertex-Array object // groups the arrays

```
uint32 vertexArrayObject;
```

### Shaders

```
uint32 vertexShader;  
uint32 fragmentShader;  
uint32 shaderProgram;
```

## GPU-side

Language: GLSL  
used for vertex-, geometry-, and  
fragment shaders



### Vertex Shader:

```
#version 420
```

```
layout(location = 0) in vec3 position;  
layout(location = 1) in vec3 color;
```

```
out vec3 outColor;
```

```
void main()  
{  
    gl_Position = vec4(position, 1.0);  
    outColor = color;  
}
```

```
glGenVertexArrays(1, &vertexArrayObject);  
// Following commands now affect this vertex array object.  
glBindVertexArray(vertexArrayObject);
```

```
// Makes positionBuffer the current array buffer for subse  
quent commands.
```

```
glBindBuffer( GL_ARRAY_BUFFER, positionBuffer );  
// Attaches positionBuffer to vertexArrayObject,  
// Connect positions to location 0. 3 floats per vertex  
glVertexAttribPointer(0, 3, GL_FLOAT, ..., positions );
```

```
// Makes colorBuffer the current array buffer for subseque  
nt commands.
```


```
glBindBuffer( GL_ARRAY_BUFFER, colorBuffer );  
// Attaches colorBuffer to vertexArrayObject,  
// Connect colors to location 1. 3 floats per vertex  
glVertexAttribPointer(1, 3, GL_FLOAT, ..., colors );
```

```
glEnableVertexAttribArray(0); // Enable attribute array 0  
glEnableVertexAttribArray(1); // Enable attribute array 1
```

# A Simple Program

Computer Graphics version of “Hello World”

Generate a triangle on a solid background



# Simple Application...

```
int main(int argc, char *argv[])
{
    // open window of size 512x512 with double buffering, RGB colors, and Z-buffering
    g_window = labhelper::init_window_SDL("OpenGL Lab 1", 512, 512);
    initGL(); // Set up our shaderProgram and our vertexArrayObject
    while (true) {

        display(); // render our geometry

        SDL_GL_SwapWindow(g_window); // swap front/back buffer. Ie., displays the frame.

        SDL_Event event;
        while (SDL_PollEvent(&event)) {
            if (event.type == SDL_QUIT || (event.type == SDL_KEYUP &&
                event.key.keysym.sym == SDLK_ESCAPE)) {
                labhelper::shutDown(g_window);
                return 0;
            }
        }
    }
    return 0;
}
```

```

void display(void)
{
    // The viewport determines how many pixels we are rasterizing to
    int w, h;
    SDL_GetWindowSize(g_window, &w, &h);
    glViewport(0, 0, w, h); // Set viewport

    // Clear background
    glClearColor(0.2, 0.2, 0.8, 1.0); // Set clear color - for background
    glClear(GL_COLOR_BUFFER_BIT | GL_DEPTH_BUFFER_BIT); // Clears the color buffer and the z-buffer

    glDisable(GL_CULL_FACE); // Both front and back face of triangles should be visible

    // DRAW OUR TRIANGLE(S)
    glUseProgram( shaderProgram ); // Shader Program. Sets what vertex/fragment shaders to use.
    // Bind the vertex array object that contains all the vertex data.
    glBindVertexArray(vertexArrayObject);
    // Submit triangles from currently bound vertex array object.
    glDrawArrays( GL_TRIANGLES, 0, 3 ); // Render 1 triangle (i.e., 3 vertices), starting at vertex 0.

    glUseProgram( 0 ); // "unsets" the current shader program. Not really necessary.
}

```

Lab 1 will teach you this, i.e., setting up a shader program and vertex arrays.



# Example of a simple GfxObject class

```
class GfxObject {
public:
    load("filename"); // Creates m_shaderProgram + m_vertexArrayObject
    render()
    {
        /* You may want to initiate more OpenGL states, e.g., for
           textures (more on that in further lectures) */
        glUseProgram(m_shaderProgram);
        glBindVertexArray(m_vertexArrayObject);
        glDrawArrays( GL_TRIANGLES, 0, numVertices);
    };
private:
    uint        numVertices;
    GLuint      m_shaderProgram;
    GLuint      m_vertexArrayObject;
};
```

## Example:

```
GfxObject myCoolObject;
myCoolObject.load("filename");
```

```
In display():
    myCoolObject.render();
```

# The Geometry stage and Rasterizer stage in more detail



# Rewind!

## Let's take a closer look

- The programmer "sends" down primitives to be rendered through the pipeline (using API calls)
- The geometry stage does per-vertex operations
- The rasterizer stage does per-pixel operations
- Next, scrutinize geometry and rasterizer


Application

Geometry

Rasterizer


# GEOMETRY Stage

Per-vertex computations



# Virtual Camera



- Defined by position, direction vector, up vector, field of view, near and far plane.



- Create image of geometry inside gray region
- Used by OpenGL, DirectX, ray tracing, etc.


# GEOMETRY - The view transform

- You can move the camera in the same manner as objects
- But apply inverse transform to objects, so that camera looks down negative z-axis



# GEOMETRY - Lighting

- Compute "lighting" at vertices





- Try to mimic how light in nature behaves
  - Hard so uses empirical models, hacks, and some real theory
- Much more about this in later lecture





# GEOMETRY - Projection

- Two major ways to do it
  - Orthogonal (useful in few applications)
  - Perspective (most often used)
    - Mimics how humans perceive the world, i.e., objects' apparent size decreases with distance



# GEOMETRY - Projection

- Also done with a matrix multiplication!
- Pinhole camera (left), analog used in CG (right)



# GEOMETRY


Application

Geometry

Rasterizer

## Clipping and Screen Mapping

- Square (cube) after projection
- Clip primitives to square




- Screen mapping, scales and translates the square so that it ends up in a rendering window
- These "screen space coordinates" together with Z (depth) are sent to the rasterizer stage

# The RASTERIZER

## in more detail





- Scan-conversion

- Find out which pixels are inside the primitive



- Fragment shaders

- E.g. put textures on triangles
- Use interpolated data over triangle
- and/or compute per-pixel lighting



- Z-buffering


- Make sure that what is visible from the camera really is displayed

- Doublebuffering

# The default frame buffer:


Typically: Front + Back color buffers + Z buffer + (Stencil buffer)

Stores rgb(a) value per pixel.  
Default: 8 bits per r,g,b channel.



Front buffer  
(rgb color buffer)


Is the last fully  
finished drawn frame.  
Is displayed.



Back buffer  
(rgb color buffer)

Is the color buffer we  
draw to.  
Not displayed yet.


Stores fragment's  
depth value per  
pixel, typically: (16),  
24, or 32 bits.



Z buffer  
(depth)

To resolve visibility

Stencil buffer can be  
asked for. 8-bits per  
pixel.



Stencil buffer

Used for masking rendering  
to only where pixel's stencil  
value = some specific value.

# The RASTERIZER


Application

Geometry


Rasterizer

## Z-buffering

- A triangle that is covered by a more closely located triangle should not be visible
- Assume two equally large tris at different depths




Triangle 1




Triangle 2

incorrect



Draw 1 then 2

correct



Draw 2 then 1


# The RASTERIZER

Application

Geometry

Rasterizer

## Z-buffering




- Would be nice to avoid sorting...
- The Z-buffer (aka depth buffer) solves this
- Idea:
  - Store  $z$  (depth) at each pixel
  - When rasterizing a triangle, compute  $z$  at each pixel on triangle
  - Compare triangle's  $z$  to Z-buffer  $z$ -value
  - If triangle's  $z$  is smaller, then replace Z-buffer and color buffer
  - Else do nothing
- Can render in any order

I.e., do not overdraw a pixel with content that is further from the camera than its current content




# The RASTERIZER

## Z-buffer



The color buffer



The z-buffer  
(or depth buffer)


# The RASTERIZER

## Z-buffer



# Painter's Algorithm

- Render polygons a back to front order so that polygons behind others are simply painted over



B behind A as seen by viewer

Fill B then A

- Requires ordering of polygons first
  - $O(n \log n)$  calculation for ordering
  - Not every polygon is either in front or behind all other polygons

I.e., : Sort all triangles and render them back-to-front.

# Z-Buffer Algorithm

- Use a buffer called the z or depth buffer to store the depth of the closest object at each pixel found so far
- As we render each polygon, compare the depth of each new fragment,  $d_{new}$ , to depth in z buffer,  $d_{zb}$
- If  $d_{new} < d_{zb}$  (new fragment is closer to cam), replace pixel's color and z-buffer value.

# The RASTERIZER


## double-buffering

Application


Geometry

Rasterizer

- We do not want to show the image until its drawing is finished.



Front buffer  
(rgb color buffer)



Back buffer  
(rgb color buffer)

- The front buffer is displayed
- The back buffer is rendered to
- When new image has been created in back buffer, swap the Front-/Back-buffer pointers.

Last fully finished  
drawn frame.

Color buffer we draw to.  
Not displayed yet.

- Use vsynch or screen tearing will occur...

i.e., when the swap happens in the middle of the screen with respect to the screen refresh rate.


# The RASTERIZER

Application

Geometry

Rasterizer

## double-buffering – screen tearing



Example if the swap happens here (w.r.t the screen refresh rate).  
Solution: use vsynch to swap buffers after monitor has  
"updated" the screen. See page 1011-1012.



# Screen Tearing

Swapping  
back/front buffers



Screen tearing is solved by using V-Sync.

vblank →

V-Sync: swap front/back buffers during vertical blank (vblank) instead.

# Screen Tearing

- Despite the gorgeous graphics seen in many of today's games, there are still some highly distracting artifacts that appear in gameplay despite our best efforts to suppress them. The most jarring of these is screen tearing. Tearing is easily observed when the mouse is panned from side to side. The result is that the screen appears to be torn between multiple frames with an intense flickering effect. Tearing tends to be aggravated when the framerate is high since a large number of frames are in flight at a given time, causing multiple bands of tearing.
- **Vertical sync (V-Sync) is the traditional remedy to this problem,** but as many gamers know, V-Sync isn't without its problems. The main problem with V-Sync is that when the framerate drops below the monitor's refresh rate (typically 60 fps), the framerate drops disproportionately. For example, dropping slightly below 60 fps results in the framerate dropping to 30 fps. This happens because the monitor refreshes at fixed intervals (although an LCD doesn't have this limitation, the GPU must treat it as a CRT to maintain backward compatibility) and V-Sync forces the GPU to wait for the next refresh before updating the screen with a new image. This results in notable stuttering when the framerate dips below 60, even if just momentarily.



# What is important:

- Understand the Application-, Geometry- and Rasterization Stage
- Correlation to hardware
- Z-buffering, double buffering, screen tearing

# Simple Application...

## OLD WAY

### OpenGL 1.1

```
#ifdef WIN32
#include <windows.h>
#endif
```

```
#include <GL/glut.h>
```

// This also includes gl.h

```
static void drawScene(void)
{
    glColor3f(1,1,1);

    glBegin(GL_POLYGON);
        glVertex3f( 4.0, 0, 4.0);
        glVertex3f( 4.0, 0,-4.0);
        glVertex3f(-4.0, 0,-4.0);
    glEnd();
}
```

Usually this and next 2 slides are put in the same file main.cpp

# Simple Application

BONUS  
Old way  
OpenGL 1.1

```
void display(void)
{
    glClearColor(0.2, 0.2, 0.8, 1.0);          // Set clear color
    glClear(GL_COLOR_BUFFER_BIT | GL_DEPTH_BUFFER_BIT); // Clears the color buffer
                                                         and the z-buffer

    int w = glutGet((GLenum)GLUT_WINDOW_WIDTH);
    int h = glutGet((GLenum)GLUT_WINDOW_HEIGHT);
    glViewport(0, 0, w, h);                     // Set viewport

    glMatrixMode(GL_PROJECTION);                // Set projection matrix
    glLoadIdentity();
    gluPerspective(45.0,w/h, 0.2, 10000.0); // FOV, aspect ratio, near, far

    glMatrixMode(GL_MODELVIEW);                // Set modelview matrix
    glLoadIdentity();

    gluLookAt(10, 10, 10,                      // look from
              0, 0, 0,                          // look at
              0, 0, 1);                        // up vector

    drawScene();
    glutSwapBuffers(); // swap front and back buffer. This frame will now been displayed.
}
```

# Changing Color per Vertex

BONUS  
Old way  
OpenGL 1.1

```
static void drawScene(void)
{
    // glColor3f(1,1,1);
    glBegin(GL_POLYGON);
        glColor3f(1,0,0);
        glVertex3f( 4.0, 0, 4.0);

        glColor3f(0,1,0);
        glVertex3f( 4.0, 0,-4.0);

        glColor3f(0,0,1);
        glVertex3f(-4.0, 0,-4.0);
    glEnd();
}
```

