

Races, locks and semaphores

Lecture 2 of TDA384/DIT391

Principles of Concurrent Programming

Nir Piterman and Gerardo Schneider

Chalmers University of Technology | University of Gothenburg



UNIVERSITY OF
GOTHENBURG



CHALMERS
UNIVERSITY OF TECHNOLOGY


Today's menu

- Concurrent programs and ConcurrentCounter (recap)
- What can be done?
 - Locks
 - Semaphores
- Theory and abstract problems
 - Races
 - Synchronization problems
- Synchronization with semaphores

Concurrent programs

Abstraction of concurrent programs

When convenient, we will use an **abstract notation** for multi-threaded applications, which is similar to the pseudo-code used in Ben-Ari's book but uses Java syntax.



Each line of code includes exactly one instruction that can be executed **atomically**:

- atomic statement \cong single read or write to global variable
- precise definition is tricky in Java, but we will learn to avoid pitfalls

Traces

A sequence of **states** gives an execution **trace** of the concurrent program
(The program counter points to the atomic instruction that will be executed next)

int counter = 0;

	thread t	thread u	
	int cnt;	int cnt;	
1	cnt = counter;	cnt = counter;	1
2	counter = cnt + 1;	counter = cnt + 1;	2

#	t'S LOCAL	u'S LOCAL	SHARED
1	pc _t : 6 cnt _t : ⊥	pc _u : 6 cnt _u : ⊥	counter: 0
2	pc _t : 7 cnt _t : 0	pc _u : 6 cnt _u : ⊥	counter: 0
3	pc _t : 7 cnt _t : 0	pc _u : 7 cnt _u : 0	counter: 0
4	pc _t : 7 cnt _t : 0	pc _u : 8 cnt _u : 0	counter: 1
5	pc _t : 8 cnt _t : 0	done	counter: 1
6	done	done	counter: 1

One trace
(One possible
Interleaving)

Concurrent counter

```
public class CCounter
    extends Counter
    implements Runnable
{
    // threads
    // will execute
    // run()
}
```

```
public class ConcurrentCounter {
    public static void main(String[] args) {
        CCounter counter = new CCounter();
        // threads sharing counter
        Thread t = new Thread(counter);
        Thread u = new Thread(counter);
        t.start(); // increment once
        u.start(); // increment twice
        try { // wait for t and u to terminate
            t.join(); u.join();
        } catch (InterruptedException e) {
            System.out.println("Interrupted!");
        } // print final value of counter
        System.out.println(counter.counter());
    }
}
```

Prints different values in different runs!



Is all lost?

- Introducing:

- Locks
- Semaphores

“magical” shared memory objects that achieve the impossible.

- For some internal details see Lecture 03 ...

Locks

Lock objects

A **lock** is a data structure with interface:

```
interface Lock {  
    void lock();           // acquire lock  
    void unlock();        // release lock  
}
```


- Several threads **share** the same object `lock` of type `Lock`
- Many threads calling `lock.lock()` : exactly one thread t **acquires** the lock
 - t 's call `lock.lock()` returns: t is holding the lock
 - other threads **block** on the call `lock.lock()`, waiting for the lock to become available
- A thread t that is holding the lock calls `lock.unlock()` to **release** the lock
 - t 's call `lock.unlock()` returns: the lock becomes available
 - another thread waiting for the lock may succeed in acquiring it

Locks are also called **mutexes** (they guarantee mutual exclusion)

Using locks

With lock objects ensuring no interference is trivial:

- **Before:** call `lock.lock()`
- **After:** call `lock.unlock()`



The implementation of the `Lock` interface should **guarantees** **mutual exclusion** and more (**deadlock freedom & starvation freedom**)

Using locks in Java

```
// package with lock-related classes
import java.util.concurrent.locks.*;

// shared with other synchronizing threads
Lock lock;

lock.lock(); // entry protocol
try {
    // code that needs to be run in
    // mutual exclusion. Guaranteed
    // by the lock protocol
}
finally { // lock released even if an exception
    // is thrown above
    lock.unlock(); // exit protocol
}
```

Why is this
inside a try-finally?

To avoid holding the lock in
case of an exception
(blocking all other threads)

Counter with mutual exclusion

```

public class LockedCounter extends CCounter
{
    @Override
    public void run() {
        lock.lock();
        try {
            // int cnt = counter;
            // counter = counter + 1;
            super.run();
        }
        finally {
            lock.unlock();
        }
    }
    // shared by all threads working
    // on this object
    private Lock lock = new ReentrantLock();
}
  
```

Run
exclusively

Entry
protocol

Exit
protocol

The main is as before, but
instantiates an object of class
LockedCounter

- What is printed by running:
java ConcurrentCount?
- May the printed value change
in different reruns?

NO: Always **2**

To allow threads lock a resource
more than once

Built-in locks in Java

Every object in Java has an implicit lock, which can be accessed using the keyword **synchronized**

Method locking (synchronized methods):

```
synchronized T m() {  
    // the exclusive code  
    // is the whole method body  
}
```

Every call to m implicitly:

1. acquires the lock
2. executes `m`
3. releases the lock

Block locking (synchronized block):

```
synchronized(this) {  
    // the exclusive code  
    // is the block's content  
}
```

Every execution of the block implicitly:

1. acquires the lock
2. executes the block
3. releases the lock

Counter with mutual exclusion: with **synchronized**

```
public class SyncCounter
    extends CCounter
{
    @Override
    public synchronized
    void run() {
        // int cnt = counter;
        // counter = counter + 1;
        super.run();
    }
}
```

```
public class SyncBlockCounter
    extends CCounter
{
    @Override
    public void run() {
        synchronized (this) {
            // int cnt = counter;
            // counter = counter + 1;
            super.run();
        }
    }
}
```

Lock implementations in Java

- Many implementations of locks in `java.util.concurrent.locks`.
- The most common implementation of the `Lock` interface in Java is `class ReentrantLock`.
- The lock used by `synchronized` methods and blocks have the **same behavior** as the `explicit locks`.
- Built-in locks, and all lock implementations in `java.util.concurrent.locks` are ***re-entrant***: a thread holding a lock can lock it again without causing a deadlock!

Semaphores

Semaphores



* Photo: British railway semaphores David Ingham, 2008

Semaphores

A (general/counting) **semaphore** is a data structure with interface:

```
interface Semaphore {  
    int count();    // current value of counter  
    void up();      // increment counter  
    void down();    // decrement counter  
}
```

Several threads share the same object `sem` of type `Semaphore`:


- initially `count` is set to a nonnegative value `C` (the **capacity**)
- a call to `sem.up()` *uninterruptedly* increments `count` by one
- a call to `sem.down()`: **waits** until `count` is positive, and then *uninterruptedly* decrements `count` by one

Semaphores for permissions

A semaphore is often used to **regulate access permits** to a **finite** number of resources:

- the **capacity** C is the number of initially available resources
- `up` (also called `signal`) **releases** a resource, which becomes available
- `down` (also called `wait`) **acquires** a resource if it is available


Example: hot desks



Counter with mutual exclusion: with **semaphores**

Semaphores can be used to ensure no interference:

- initialize semaphore to 1
- **Before:** call `sem.down()`
- **After:** call `sem.up()`



Invariants

An object's **invariant** is a property that always holds between calls to the object's methods:

- the invariant holds *initially* (when the object is created)
- every method call *starts* in a state that satisfies the invariant
- every method call *ends* in a state that satisfies the invariant

Ex: A **bank account** that cannot be overdrawn has an **invariant** `balance >= 0`

```
class BankAccount {
    private int balance = 0;
    void deposit(int amount)
        { if (amount > 0) balance += amount; }
    void withdraw(int amount)
        { if (amount > 0 && balance > amount) balance -= amount; }
}
```

Invariants in pseudo-code

- We may annotate classes with the pseudo-code keyword **invariant**
 - Note that **invariant** is **not** a valid Java keyword – we highlight it in a different color – but we will use it whenever it helps make more explicit the behavior of classes

```
class BankAccount {
    private int balance = 0;
    void deposit(int amount)
        { if (amount > 0) balance += amount; }
    void withdraw(int amount)
        { if (amount > 0 && balance > amount) balance -= amount; }
    invariant{ balance >= 0; } // not valid Java code
}
```

Invariants of semaphores

A **semaphore** object with *initial capacity* C satisfies the invariant:

```
interface Semaphore {
  int count();
  void up();
  void down();
}
```

Number of calls to up

up can increment
beyond the initial capacity

Number of calls to down

**NOT
valid
Java code**

```
invariant{
  count() >= 0;
  count() == C + #up - #down;
}
```

Invariants characterize the behavior of an object, and are very useful for **proofs**

Binary semaphores

A semaphore with capacity 1 and such that `count()` is always at most 1 is called a **binary semaphore**

```
interface BinarySemaphore extends Semaphore {
  invariant
  { 0 <= count() <= 1;
    count() == C + #up - #down; }
}
```

Mutual exclusion uses a binary semaphore:

```
Semaphore sem = new Semaphore(1);
// shared by all threads
```

thread t

```
sem.down();
// critical section
sem.up();
```


Binary semaphores vs. locks

Binary semaphores are very similar to **locks** with one difference:

- In a **lock**, only the thread that decrements the counter to 0 can increment it back to 1
- In a **semaphore**, a thread may decrement the counter to 0 and then let another thread increment it to 1

Thus (binary) semaphores support **transferring of permissions**

Barriers

A **barrier** is a form of synchronization where there is a *point* (the **barrier**) in a program's execution that all threads in a group have to reach **before any of them is allowed to continue**


Is this re-usable?

A **solution** to the barrier synchronization problem for 2 threads using semaphores:

```
Semaphore[] done = {new Semaphore(0), new Semaphore(0)};
```

up done unconditionally

down waits until the other thread has reached the barrier



Capacity 0 forces up before down

Using semaphores in Java

```
package java.util.concurrent;

public class Semaphore {

    Semaphore(int permits);

    Semaphore(int permits, boolean fair);
        // initialize with capacity `permits'
        // fair - explained later

    void acquire();           // corresponds to down
    void release();          // corresponds to up
    int availablePermits();  // corresponds to count
}
```

Method `acquire` may throw an `InterruptedException`: catch or propagate

Races

Race conditions

Concurrent programs are **nondeterministic**:

- Executing multiple times the same concurrent program with the same inputs may lead to **different execution traces**
- A result of the nondeterministic **interleaving** of each thread's trace to determine the overall program trace
- In turn, the interleaving is a result of the **scheduler's** decisions

A **race condition** is a situation where the correctness of a concurrent program depends on the specific execution

The **concurrent counter** example has a **race condition**:

- in some executions the final value of `counter` is **2** (correct)
- in some executions the final value of `counter` is **1** (wrong)

Race conditions can greatly **complicate debugging!**

Concurrency humor

A1: Knock Knock

A2: "Who's there?"

A1: "Race condition"

A1: Knock...

A2: "Who's there?"

A1: Knock...
"Race condition"

A1: Knock Knock

A1: "Race condition"

A2: "Who's there?"

Data races

Race conditions are typically caused by a **lack of synchronization** between threads that access **shared memory**


A **data race** occurs when two concurrent threads:

- Access a shared memory location
- At least one access is a **write**
- The threads use no explicit **synchronization mechanism** to protect the shared data

Data races

A **data race** occurs when two concurrent threads:

- Access a shared memory location
- At least one access is a **write**
- The threads use no explicit **synchronization mechanism** to protect the shared data



Data races vs. Race conditions

A **data race** occurs when two concurrent threads:

- Access a shared memory location
- At least one access is a **write**
- The threads use no explicit **synchronization mechanism** to protect the shared data

Not every **race condition** is a **data race**

- Race conditions can occur even when there is no shared memory access
- Example: filesystems or network access

Not every **data race** is a **race condition**

- The data race may not affect the result
- Example: if two threads write the same value to shared memory

Abstract Synchronization problems

Push out the races, bring in the speed

Concurrent programming introduces:

- the **potential** for **parallel execution** (faster, better resource usage)
- the **risk** of **race conditions** (incorrect, unpredictable computations)

The main **challenge** of concurrent programming is thus **introducing parallelism without introducing race conditions**

This requires to **restrict** the amount of **nondeterminism** by **synchronizing** processes/threads that access **shared resources**

Synchronization


We will present several **synchronization problems** that often appear in concurrent programming, together with **solutions**

- **Correctness** (that is, avoiding race conditions) is **more important** than **performance**
 - An incorrect result that is computed faster is no good!
- However, we want to retain **as much concurrency as possible**
 - Otherwise we might as well stick with sequential programming

Shared memory vs. Message passing synchronization


Shared memory synchronization:

- Synchronize by **writing to** and **reading from shared memory**
- Natural choice in shared memory systems such as threads




Message passing synchronization:

- Synchronize by **exchanging messages**
- Natural choice in distributed memory systems such as processes




Shared memory vs. Message passing synchronization

Shared memory synchronization:



Message passing synchronization:



The two synchronization models **overlap**:

- Send a message by writing to and reading from shared memory (ex: message board)
- Share information by sending a message (ex: order a billboard)
- We start by focusing on **shared memory concurrency**
- But the high-level abstraction applies to both

The mutual exclusion problem

A fundamental synchronization problem which arises whenever multiple threads have access to a shared resource

Critical Section: Part of a program that accesses the shared resource (Ex: shared variable)

Mutual Exclusion Property: No more than 1 thread is in its critical section at any given time

Mutual Exclusion Problem: Devise a protocol for **accessing a shared resource** that satisfies the **mutual exclusion property**

Simplifications to present solutions in a uniform way:

- the critical section is an **arbitrary block** of code
- threads **continuously** try to enter the critical section
- threads spend a **finite amount of time** in the critical section
- we **ignore** what the threads do **outside** their critical sections

The mutual exclusion problem



Mutual Exclusion Problem: Devise a protocol for **accessing a shared resource** that satisfies the **mutual exclusion property**

T shared;

thread t_j

```
// continuously
while (true) {
  entry protocol
  critical section {
    // access shared data
  }
  exit protocol
} /* ignore behavior
outside critical section */
```

May depend
on thread

thread t_k


```
// continuously
while (true) {
  entry protocol
  critical section {
    // access shared data
  }
  exit protocol
} /* ignore behavior
outside critical section */
```

Depends
on computation



Mutual exclusion problem example: Concurrent Counter

Updating a **shared variable consistently** is an instance of the mutual exclusion problem



What's a **good solution** to the mutual exclusion problem?

A fully satisfactory solution is one that achieves **three properties**:

1. **Mutual exclusion**: at most one thread is in its critical section at any given time
2. **Freedom from deadlock**: if one or more threads try to enter the critical section, some thread will eventually succeed
3. **Freedom from starvation**: every thread that tries to enter the critical section will eventually succeed

A good solution should also work for an **arbitrary number of threads** sharing the same memory

(NOTE: Freedom from starvation implies freedom from deadlock)

Deadlocks

A **deadlock** is the situation where a group of threads **wait forever** because each of them is waiting for resources that are held by another thread in the group (circular dependency)

- A mutual exclusion protocol provides **exclusive access** to shared resources to one thread at a time
- Threads that try to access the resource when it is not available will have to **block and wait**
- Mutually dependent waiting conditions may **introduce a deadlock**

Deadlock: Example

A **deadlock** is the situation where a group of threads **wait forever** because each of them is waiting for resources that are held by another thread in the group (circular dependency)

A protocol that achieves mutual exclusion but introduces a deadlock:

Entry protocol: Wait until all other threads have executed their critical section



Via, resti servita Madama brillante – E. Tommasi Ferroni, 2012

The Dining Philosophers

- **Dining philosophers**: A classic synchronization problem introduced by Dijkstra
- It illustrates the problem of deadlocks using a colorful metaphor (by Hoare)
- Five philosophers are sitting around a dinner table, with a fork in between each pair of adjacent philosophers
- Each philosopher alternates between thinking (**non-critical section**) and eating (**critical section**)
- In order to eat, a philosopher needs to pick up the two forks that lie to the philosopher's left and right
- Since the forks are **shared**, there is a **synchronization** problem between philosophers (**threads**)




Deadlocking philosophers

An **unsuccessful attempt** at solving the dining philosophers problem:

```

entry  () {
    left_fork.acquire(); // pick up left fork
    right_fork.acquire(); // pick up right fork
}
critical section { eat(); }
exit  () {
    left_fork.release(); // release left fork
    right_fork.release(); // release right fork
}
  
```

This protocol **deadlocks** if all philosophers get their left forks, and wait forever for their right forks to become available



The Coffman conditions

Necessary conditions for a **deadlock** to occur:

1. **Mutual exclusion**: threads may have exclusive access to the shared resources
2. **Hold and wait**: a thread may request one resource while holding another one
3. **No preemption**: resources cannot forcibly be released from threads that hold them
4. **Circular wait**: two or more threads form a circular chain where each thread waits for a resource that the next thread in the chain is holding.

* Avoiding deadlocks requires to **break one or more** of these conditions

Breaking a circular wait


A solution to the dining philosophers problem that **avoids deadlock** by **breaking circular wait**: pick up first the fork with the lowest *id* number

It avoids circular wait since not every philosopher will pick up their left fork first

```

entry () {
  if (left_fork.id() < right_fork.id())
  { left_fork.acquire();
    right_fork.acquire();
  }
  else
  { right_fork.acquire();
    left_fork.acquire();
  }
}
critical_section { eat(); }
exit () { /* ... */ }

```




Ordering shared resources and forcing all threads to acquire the resources in order is a **common measure to avoid deadlocks**

Starving philosophers

A solution to the dining philosophers problem that **avoids deadlock** by **breaking *hold and wait*** (and thus ***circular wait***): pick up both forks at once (**atomic op.**)

```

entry  () {
    forks.acquire(); // pick up left and right
                    // fork, atomically
}
critical section { eat(); }
exit   () {
    forks.release(); // release left and right
                    // fork, atomically
}
  
```



It **avoids deadlock**, but it may **introduce starvation**: a philosopher may never get a chance to pick up the forks

Starvation

No deadlock means that the system makes **progress as a whole**

However, some thread may still make no progress because it is **treated unfairly** in terms of access to shared resources

Starvation is the situation where a thread is **perpetually denied access** to a resource it requests

Avoiding starvation requires an additional assumption about the **scheduler**

Fairness

Starvation is the situation where a thread is perpetually denied access to a resource it requests

Avoiding starvation requires the scheduler to “give every thread a chance to execute”

Weak fairness: if a thread continuously requests (that is, without interruptions) access to a resource, then access is granted eventually (or infinitely often)

Strong fairness: if a thread requests access to a resource infinitely often, then access is granted eventually (or infinitely often)

Applied to a scheduler:

- request = a thread is ready (enabled)
- fairness = every thread has a chance to execute

Deadlock and Starvation in Java Locks

class ReentrantLock

Mutual exclusion:

- `ReentrantLock` guarantees mutual exclusion

Starvation:

- `ReentrantLock` does **not** guarantee freedom from starvation
- however, calling the constructor with `new ReentrantLock(true)` gives the lock the guarantee of “access to the longest-waiting thread”
- this still does not guarantee that thread scheduling is fair

Deadlocks:

- one thread will succeed in acquiring the lock
- however, deadlocks may occur in systems that use multiple locks (remember the dining philosophers)

Explicit locks used by **synchronized** give no guarantee about starvation!

Deadlock and Starvation in Sempahores

Every implementation of semaphores should **guarantee**:

- the **atomicity** of the `up` and `down` operations
- **deadlock freedom** (for one semaphore used correctly ...
Deadlocks may still occur if there are other synchronization constraints!

Fairness is optional:

Weak semaphore: threads waiting to perform `down` are scheduled **nondeterministically**

Strong semaphore: threads waiting to perform `down` are scheduled fairly in **FIFO** (First In First Out) order

Mutex using binary semaphores

```
Semaphore sem = new Semaphore(1);  
// shared by all threads
```

thread *t*

```
sem.down();  
// critical section  
sem.up();
```

If the semaphore is ***strong*** this guarantees **starvation freedom**

The k -exclusion problem

The **k -exclusion** problem: devise a protocol that **allows up to k threads** to be in their **critical sections at the same time**

- **Mutual exclusion** problem = **1**-exclusion problem
- The “hot desk” is an instance of the k -exclusion problem

A **solution** to the **k -exclusion problem** using a semaphore of capacity k : A straightforward generalization of mutual exclusion

```
Semaphore sem = new Semaphore (k)  
// shared by all threads
```

thread t

```
sem.down ();  
    // critical section  
sem.up ();
```