

# Software Engineering using Formal Methods

## Introduction to PROMELA

Wolfgang Ahrendt, Josef Svenningsson, Meng Wang

06 September 2012

# Towards Model Checking


## System Model

### Promela Program

```
byte n = 0;  
active proctype P() {  
  n = 1;  
}  
active proctype Q() {  
  n = 2;  
}
```

## System Property

$P, Q$  are never in their  
critical section at the same time



# What is PROMELA?

PROMELA is an acronym

Process meta-language

# What is PROMELA?

PROMELA is an acronym

Process meta-language

PROMELA is a language for modeling concurrent systems

- ▶ multi-threaded

# What is PROMELA?

PROMELA is an acronym

Process meta-language

PROMELA is a language for modeling concurrent systems

- ▶ multi-threaded
- ▶ synchronisation and message passing

# What is PROMELA?

PROMELA is an acronym

Process meta-language

PROMELA is a language for **modeling** concurrent systems

- ▶ multi-threaded
- ▶ synchronisation and message passing
- ▶ few control structures, pure (no side-effects) expressions

# What is PROMELA?

PROMELA is an acronym

Process meta-language

PROMELA is a language for modeling concurrent systems

- ▶ multi-threaded
- ▶ synchronisation and message passing
- ▶ few control structures, pure (no side-effects) expressions
- ▶ data structures with finite and fixed bound

# What is PROMELA **Not**?

PROMELA is **not** a programming language

Very small language, not intended to program real systems  
(we will master most of it in today's lecture!)

- ▶ No pointers
- ▶ No methods/procedures
- ▶ No libraries
- ▶ No GUI, no standard input
- ▶ No floating point types
- ▶ Fair scheduling policy (during verification)
- ▶ No data encapsulation
- ▶ Non-deterministic



# A First PROMELA Program

```
active proctype P() {  
    printf("Hello␣world\n")  
}
```

## Command Line Execution

*Simulating* (i.e., interpreting) a PROMELA program

```
> spin hello.pml  
Hello world
```

# A First PROMELA Program

```
active proctype P() {  
    printf("Hello_world\n")  
}
```

## Command Line Execution

*Simulating* (i.e., interpreting) a PROMELA program

```
> spin hello.pml  
Hello world
```

## First observations

- ▶ keyword **proctype** declares process named P
- ▶ C-like command and expression syntax
- ▶ C-like (simplified) formatted print

# Arithmetic Data Types

```
active proctype P() {  
    int val = 123;  
    int rev;  
    rev = (val % 10) * 100 + /* % is modulo */  
          ((val / 10) % 10) * 10 + (val / 100);  
    printf("val_=%d,_rev_=%d\n", val, rev)  
}
```

# Arithmetic Data Types

```
active proctype P() {  
    int val = 123;  
    int rev;  
    rev = (val % 10) * 100 + /* % is modulo */  
          ((val / 10) % 10) * 10 + (val / 100);  
    printf("val_=%d,_rev_=%d\n", val, rev)  
}
```

## Observations

- ▶ Data types byte, short, int, unsigned with operations +, -, \*, /, %
- ▶ All declarations implicitly at beginning of process  
(avoid to have them anywhere else!)
- ▶ Expressions computed as int, then converted to container type
- ▶ No floats, no side effects, C/Java-style comments
- ▶ No string variables (only in print statements)

# Booleans and Enumerations

```
bit   b1 = 0;  
bool  b2 = true;
```

## Observations

- ▶ `bit` is actually small numeric type containing 0,1 (unlike C, JAVA)
- ▶ `bool`, `true`, `false` syntactic sugar for `bit`, 1, 0

# Booleans and Enumerations

```
bit   b1 = 0;  
bool  b2 = true;
```

## Observations

- ▶ `bit` is actually small numeric type containing 0,1 (unlike C, JAVA)
- ▶ `bool`, `true`, `false` syntactic sugar for `bit`, 1, 0

```
mtype = { red, yellow, green };  
mtype light = green;  
printf("the light is %e\n", light)
```

## Observations

- ▶ literals represented as non-0 byte: at most 255
- ▶ `mtype` stands for [message type](#) (first used for message names)
- ▶ There is at most one `mtype` per program

# Control Statements

Sequence	using ; as separator; C/JAVA-like rules
Guarded Command	
— Selection	non-deterministic choice of an alternative
— Repetition	loop until break (or forever)
Goto	jump to a label

# Guarded Commands: Selection

```
active proctype P() {  
    byte a = 5, b = 5;  
    byte max, branch;  
    if  
        :: a >= b -> max = a; branch = 1  
        :: a <= b -> max = b; branch = 2  
    fi  
}
```



# Guarded Commands: Selection

```
active proctype P() {  
    byte a = 5, b = 5;  
    byte max, branch;  
    if  
        :: a >= b -> max = a; branch = 1  
        :: a <= b -> max = b; branch = 2  
    fi  
}
```

## Command Line Execution

*Trace of random simulation of multiple runs*

```
> spin -v max.pml  
> spin -v max.pml  
> ...
```

# Guarded Commands: Selection

```
active proctype P() {  
    byte a = 5, b = 5;  
    byte max, branch;  
    if  
        :: a >= b -> max = a; branch = 1  
        :: a <= b -> max = b; branch = 2  
    fi  
}
```

## Observations

- ▶ Guards may “**overlap**” (more than one can be true at the same time)
- ▶ Any alternative whose guard is true is **randomly** selected
- ▶ When no guard true: process **blocks** until one becomes true

# Guarded Commands: Selection Cont'd

```
active proctype P() {  
    bool p = ...;  
    if  
        :: p      -> ...  
        :: true   -> ...  
    fi  
}
```

```
active proctype P() {  
    bool p = ...;  
    if  
        :: p      -> ...  
        :: else   -> ...  
    fi  
}
```

## Guarded Commands: Selection Cont'd

```
active proctype P() {  
  bool p = ...;  
  if  
    :: p      -> ...  
    :: true -> ...  
  fi  
}
```

```
active proctype P() {  
  bool p = ...;  
  if  
    :: p      -> ...  
    :: else -> ...  
  fi  
}
```

Second alternative can be selected **anytime**, regardless of whether *p* is true

# Guarded Commands: Selection Cont'd

```
active proctype P() {  
    bool p = ...;  
    if  
        :: p      -> ...  
        :: true   -> ...  
    fi  
}
```

Second alternative can be selected **anytime**, regardless of whether p is true

```
active proctype P() {  
    bool p = ...;  
    if  
        :: p      -> ...  
        :: else   -> ...  
    fi  
}
```

Second alternative can be selected **only if p is false**

# Guarded Commands: Repetition

```
active proctype P() { /* computes gcd */  
  int a = 15, b = 20;  
  do  
    :: a > b -> a = a - b  
    :: b > a -> b = b - a  
    :: a == b -> break  
  od  
}
```

# Guarded Commands: Repetition

```
active proctype P() { /* computes gcd */  
  int a = 15, b = 20;  
  do  
    :: a > b -> a = a - b  
    :: b > a -> b = b - a  
    :: a == b -> break  
  od  
}
```

## Command Line Execution

*Trace with values of local variables*

```
> spin -p -l gcd.pml  
> spin --help
```

# Guarded Commands: Repetition

```
active proctype P() { /* computes gcd */  
    int a = 15, b = 20;  
    do  
        :: a > b -> a = a - b  
        :: b > a -> b = b - a  
        :: a == b -> break  
    od  
}
```

## Observations

- ▶ Any alternative whose guard is true is **randomly** selected
- ▶ Only way to exit loop is via **break** or **goto**
- ▶ When no guard true: loop **blocks** until one becomes true



# Counting Loops

Counting loops such as for-loops as usual in imperative programming languages are realized with **break** after the termination condition:

```
#define N 10 /* C-style preprocessing */
active proctype P() {
    int sum = 0; byte i = 1;
    do
        :: i > N -> break /* test */
        :: else -> sum = sum + i; i++ /* body, increase */
    od
}
```

# Counting Loops

Counting loops such as for-loops as usual in imperative programming languages are realized with **break** after the termination condition:

```
#define N 10 /* C-style preprocessing */
active proctype P() {
    int sum = 0; byte i = 1;
    do
        :: i > N -> break /* test */
        :: else -> sum = sum + i; i++ /* body, increase */
    od
}
```

## Observations

- ▶ Don't forget **else**, otherwise strange behaviour

# Arrays

```
#define N 5
active proctype P() {
    byte a[N];
    a[0] = 0; a[1] = 10; a[2] = 20; a[3] = 30; a[4] = 40;
    byte sum = 0, i = 0;
    do
        :: i > N-1 -> break
        :: else      -> sum = sum + a[i]; i++
    od;
}
```

# Arrays

```
#define N 5
active proctype P() {
    byte a[N];
    a[0] = 0; a[1] = 10; a[2] = 20; a[3] = 30; a[4] = 40;
    byte sum = 0, i = 0;
    do
        :: i > N-1 -> break
        :: else      -> sum = sum + a[i]; i++
    od;
}
```

## Observations

- ▶ Array indexes start with 0 as in JAVA and C
- ▶ Arrays are scalar types:  $a \neq b$  always different arrays
- ▶ Array bounds are constant and cannot be changed
- ▶ Only one-dimensional arrays (there is an (ugly) workaround)

# Record Types

```
typedef DATE {  
    byte day, month, year;  
}  
  
active proctype P() {  
    DATE D;  
    D.day = 1; D.month = 7; D.year = 62  
}
```

# Record Types

```
typedef DATE {  
    byte day, month, year;  
}  
  
active proctype P() {  
    DATE D;  
    D.day = 1; D.month = 7; D.year = 62  
}
```

## Observations

- ▶ may include previously declared record types, but **no** self-references
- ▶ Can be used to realize multi-dimensional arrays:

```
typedef VECTOR {  
    int vector[10]  
};  
  
VECTOR matrix[5]; /* base type array in record */  
matrix[3].vector[6] = 17;
```

# Jumps

```
#define N 10
active proctype P() {
    int sum = 0; byte i = 1;
    do
        :: i > N -> goto exitloop;
        :: else -> sum = sum + i; i++
    od;
    exitloop:
    printf("End of loop")
}
```

# Jumps

```
#define N 10
active proctype P() {
    int sum = 0; byte i = 1;
    do
        :: i > N -> goto exitloop;
        :: else -> sum = sum + i; i++
    od;
exitloop:
    printf("End of loop")
}
```

## Observations

- ▶ Jumps allowed only within a process
- ▶ Labels must be unique for a process
- ▶ Can't place labels in front of guards (inside alternative ok)
- ▶ Easy to write messy code with **goto**



# Inlining Code

PROMELA has no method or procedure calls

# Inlining Code

PROMELA has no method or procedure calls

```
typedef DATE {  
    byte day, month, year;  
}  
  
inline setDate(D, DD, MM, YY) {  
    D.day = DD; D.month = MM; D.year = YY  
}  
  
active proctype P() {  
    DATE d;  
    setDate(d,1,7,62)  
}
```

# Inlining Code

PROMELA has no method or procedure calls

```
typedef DATE {  
    byte day, month, year;  
}  
  
inline setDate(D, DD, MM, YY) {  
    D.day = DD; D.month = MM; D.year = YY  
}  
  
active proctype P() {  
    DATE d;  
    setDate(d, 1, 7, 62)  
}
```

## The inline construct

- ▶ macro-like abbreviation mechanism for code that occurs multiply
- ▶ creates **no** new scope for locally declared variables
  - ▶ avoid to declare variables in **inline** — they are visible

# Non-Deterministic Programs

## **Deterministic** PROMELA programs are trivial

Assume PROMELA program with **one process** and **no overlapping guards**

- ▶ All variables are (implicitly or explicitly) initialized
- ▶ No user input possible
- ▶ Each state is either blocking or has exactly one successor state

Such a program has exactly one possible computation!

# Non-Deterministic Programs

## **Deterministic** PROMELA programs are trivial

Assume PROMELA program with **one process** and **no overlapping guards**

- ▶ All variables are (implicitly or explicitly) initialized
- ▶ No user input possible
- ▶ Each state is either blocking or has exactly one successor state

Such a program has exactly one possible computation!

Non-trivial PROMELA programs are non-deterministic!

## **Possible sources of non-determinism**

1. Non-deterministic choice of alternatives with overlapping guards
2. Scheduling of concurrent processes

# Non-Deterministic Generation of Values

```
byte range;  
if  
  :: range = 1  
  :: range = 2  
  :: range = 3  
  :: range = 4  
fi
```

## Observations

- ▶ assignment statement used as guard
  - ▶ assignment statement always succeeds (guard is true)
  - ▶ side effect of guard is desired effect of this alternative
  - ▶ could also write `:: true -> range = 1`, etc.
- ▶ selects non-deterministically a value in  $\{1, 2, 3, 4\}$  for range

# Non-Deterministic Generation of Values Cont'd

Generation of values from explicit list impractical for large range

# Non-Deterministic Generation of Values Cont'd

Generation of values from explicit list impractical for large range

```
#define LOW 0
#define HIGH 9
byte range = LOW;
do
  :: range < HIGH -> range++
  :: break
od
```

## Observations

- ▶ Increase of range and loop exit selected with equal chance
- ▶ Chance of generating  $n$  in random simulation is  $2^{-(n+1)}$ 
  - ▶ Obtain no representative test cases from random simulation!
  - ▶ Ok for verification, because all computations are generated



# Sources of Non-Determinism

1. Non-deterministic choice of alternatives with overlapping guards
2. Scheduling of concurrent processes

# Concurrent Processes

```
active proctype P() {  
    printf("Process_P, statement_1\n");  
    printf("Process_P, statement_2\n");  
}
```

```
active proctype Q() {  
    printf("Process_Q, statement_1\n");  
    printf("Process_Q, statement_2\n");  
}
```

## Observations

- ▶ Can declare more than one process (need unique identifier)
- ▶ At most 255 processes

# Execution of Concurrent Processes

## Command Line Execution

*Random simulation of two processes*

```
> spin interleave.pml
```

# Execution of Concurrent Processes

## Command Line Execution

*Random simulation of two processes*

```
> spin interleave.pml
```

## Observations

- ▶ Scheduling of concurrent processes on one processor
- ▶ Scheduler selects process randomly where next statement executed
- ▶ Many different computations are possible: non-determinism
- ▶ Use `-p` and `-g` options to see more execution details

# Sets of Processes

```
active [2] proctype P() {  
    printf("Process %d, statement 1\n", _pid);  
    printf("Process %d, statement 2\n", _pid)  
}
```

## Observations

- ▶ Can declare set of identical processes
- ▶ Current process identified with reserved variable `_pid`
- ▶ Each process can have its own local variables

# Sets of Processes

```
active [2] proctype P() {  
    printf("Process %d, statement 1\n", _pid);  
    printf("Process %d, statement 2\n", _pid)  
}
```

## Observations

- ▶ Can declare set of identical processes
- ▶ Current process identified with reserved variable `_pid`
- ▶ Each process can have its own local variables

## Command Line Execution

*Random simulation of set of two processes*

```
> spin interleave_set.pml
```


# PROMELA Computations

```
1 active [2] proctype P() {  
2   byte n;  
3   n = 1;  
4   n = 2  
5 }
```

# PROMELA Computations

```
1 active [2] proctype P() {  
2   byte n;  
3   n = 1;  
4   n = 2  
5 }
```

One possible computation of this program



## Notation


- ▶ Program pointer (line #) for each process in upper compartment
- ▶ Value of all variables in lower compartment



# PROMELA Computations

```
1 active [2] proctype P() {  
2   byte n;  
3   n = 1;  
4   n = 2  
5 }
```

One possible computation of this program



## Notation

- ▶ Program pointer (line #) for each process in upper compartment
- ▶ Value of all variables in lower compartment

Computations are either infinite or terminating or blocking

# Admissible Computations: Interleaving

## Definition (Interleaving of independent computations)

Assume  $n$  independent processes  $P_1, \dots, P_n$  and process  $i$  has computation  $c^i = (s_0^i, s_1^i, s_2^i, \dots)$ .

The computation  $(s_0, s_1, s_2, \dots)$  is an **interleaving** of  $c^1, \dots, c^n$  iff for all  $s_j = s_{j'}^i$  and  $s_k = s_{k'}^i$ , with  $j < k$  it is the case that  $j' < k'$ .

The interleaved state sequence  
respects the execution order of each process

# Admissible Computations: Interleaving

## Definition (Interleaving of independent computations)

Assume  $n$  independent processes  $P_1, \dots, P_n$  and process  $i$  has computation  $c^i = (s_0^i, s_1^i, s_2^i, \dots)$ .

The computation  $(s_0, s_1, s_2, \dots)$  is an **interleaving** of  $c^1, \dots, c^n$  iff for all  $s_j = s_{j'}^i$  and  $s_k = s_{k'}^i$ , with  $j < k$  it is the case that  $j' < k'$ .

The interleaved state sequence  
respects the execution order of each process


## Observations

- ▶ Semantics of concurrent PROMELA program are all its interleavings
- ▶ Called **interleaving semantics** of concurrent programs
- ▶ Not universal: in JAVA certain **reorderings** allowed

# Interleaving Cont'd

Can represent possible interleavings in a DAG

```
1 active [2] proctype P() {  
2   byte n;  
3   n = 1;  
4   n = 2  
5 }
```



At which granularity of execution can interleaving occur?

## Definition (Atomicity)

An expression or statement of a process that is executed entirely without the possibility of interleaving is called **atomic**.

At which granularity of execution can interleaving occur?

## Definition (Atomicity)

An expression or statement of a process that is executed entirely without the possibility of interleaving is called **atomic**.

## Atomicity in PROMELA

- ▶ Assignments, jumps, skip, and expressions are **atomic**
  - ▶ In particular, conditional expressions are atomic:  
( $p \rightarrow q : r$ ), C-style syntax, brackets required
- ▶ Guarded commands are **not atomic**

# Atomicity Cont'd

```
int a,b,c;  
active proctype P() {  
    a = 1; b = 1; c = 1;  
    if  
        :: a != 0 -> c = b / a  
        :: else -> c = b  
    fi  
}  
active proctype Q() {  
    a = 0  
}
```

# Atomicity Cont'd

```
int a,b,c;
active proctype P() {
  a = 1; b = 1; c = 1;
  if
    :: a != 0 -> c = b / a
    :: else -> c = b
  fi
}
active proctype Q() {
  a = 0
}
```

## Command Line Execution

*Interleaving into selection statement forced by interactive simulation*

```
> spin -p -g -i zero.pml
```



# Atomicity Cont'd

## How to prevent interleaving?

1. Consider to use expression instead of selection statement:

`c = (a != 0 -> (b / a): b)`

# Atomicity Cont'd

## How to prevent interleaving?

1. Consider to use expression instead of selection statement:

```
c = (a != 0 -> (b / a): b)
```

2. Put code inside scope of `atomic`:

```
active proctype P() {  
    a = 1; b = 1; c = 1;  
    atomic {  
        if  
            :: a != 0 -> c = b / a  
            :: else -> c = b  
        fi  
    }  
}
```

# Atomicity Cont'd

## How to prevent interleaving?

1. Consider to use expression instead of selection statement:

```
c = (a != 0 -> (b / a): b)
```

2. Put code inside scope of `atomic`:

```
active proctype P() {  
    a = 1; b = 1; c = 1;  
    atomic {  
        if  
            :: a != 0 -> c = b / a  
            :: else -> c = b  
        fi  
    }  
}
```

# Atomicity Cont'd

## How to prevent interleaving?

1. Consider to use expression instead of selection statement:

```
c = (a != 0 -> (b / a): b)
```

2. Put code inside scope of **atomic**:


```
active proctype P() {  
    a = 1; b = 1; c = 1;  
    atomic {  
        if  
            :: a != 0 -> c = b / a  
            :: else -> c = b  
        fi  
    }  
}
```

**Remark:** Blocking statement in **atomic** may lead to interleaving  
(Lect. "Concurrency")


# Usage Scenario of PROMELA

1. Model the essential features of a system in PROMELA
  - ▶ abstract away from complex (numerical) computations
    - ▶ make usage of non-deterministic choice of outcome
  - ▶ replace unbounded data structures with finite approximations
  - ▶ assume fair process scheduler
2. Select properties that the PROMELA model must satisfy
  - ▶ Generic Properties (discussed in later lectures)
    - ▶ Mutual exclusion for access to critical resources
    - ▶ Absence of deadlock
    - ▶ Absence of starvation
  - ▶ System-specific properties
    - ▶ Event sequences (e.g., system responsiveness)


# Formalisation with PROMELA



# Formalisation with PROMELA




# Formalisation with PROMELA







# Formalisation with PROMELA **Abstraction**




# Formalisation with PROMELA **Abstraction**



# Formalisation with PROMELA



# Formalisation with PROMELA



# Usage Scenario of PROMELA Cont'd

1. **Model** the **essential** features of a system in PROMELA
  - ▶ **abstract** away from complex (numerical) computations
    - ▶ make usage of **non-deterministic** choice of outcome
  - ▶ replace unbounded datastructures with **finite** approximations
  - ▶ assume **fair** process scheduler
2. **Select properties** that the PROMELA model must satisfy
  - ▶ Mutual exclusion for access to critical resources
  - ▶ Absence of deadlock
  - ▶ Absence of starvation
  - ▶ Event sequences (e.g., system responsiveness)
3. **Verify** that all possible runs of PROMELA model **satisfy** properties
  - ▶ Typically, need many **iterations** to get model and properties right
  - ▶ Failed verification attempts provide feedback via **counter examples**
  - ▶ **Topic of next week's lecture**


# Verification: Work Flow (Simplified)

PROMELA Program

```
byte n = 0;  
active proctype P() {  
    n = 1  
}  
active proctype Q() {  
    n = 2  
}
```

Properties

$[[!(csp \parallel !csq)$



# Literature for this Lecture

**Ben-Ari** Chapter 1, Sections 3.1–3.3, 3.5, 4.6, Chapter 6

**Spin** Reference card (linked from Links, Papers, and Software section of course homepage)

**jspin** User manual, file doc/jspin-user.pdf in distribution