

# Finite Automata Theory and Formal Languages

TMV027/DIT321– LP4 2018

## Lecture 6

Ana Bove

April 9th 2018

## Recap: Deterministic Finite Automata

- Defined by a 5-tuple  $(Q, \Sigma, \delta, q_0, F)$ ;  
For our examples, better represented by transition diagrams or tables;
- Why *finite*?
- Why *deterministic*?
- total  $\delta : Q \times \Sigma \rightarrow Q$ ;
- Useful to model simple problems;
- Only accessible part is of interest;
- Accept set of words  $x$  such that  $\hat{\delta}(q_0, x) \in F$ ;
- Accept the so called *regular language*;
- We can defined the products  $\otimes$  and  $\oplus$ , and the complement...
- ... accepting the intersection, union and complement of the languages;
- Hence, *regular languages are closed under intersection, union and complement.*

# Overview of Today's Lecture


- NFA: Non-deterministic finite automata;
- Equivalence between DFA and NFA.

## Contributes to the following learning outcome:

- Explain and manipulate the different concepts in automata theory and formal languages;
- Have a clear understanding about the equivalence between (non-)deterministic finite automata and regular expressions;
- Understand the power and the limitations of regular languages and context-free languages;
- Design automata, regular expressions and context-free grammars accepting or generating a certain language;
- Describe the language accepted by an automata or generated by a regular expression or a context-free grammar;
- Determine if a certain word belongs to a language;
- Differentiate and manipulate formal descriptions of languages, automata and grammars.

# Non-deterministic Finite Automata

Given a state and the next symbol, a non-deterministic finite automaton (NFA) can “move” to many states.



You can think that the vending machine can *choose* between different states.


# When Does a NFA Accepts a Word?

*Intuitively:* the automaton *guess* a successful computation if there is one.

*Formally:* if there is *at least one* path from the start state to an accepting state.

## Example:

NFA accepting words that end in 11




What are all possible computations for the string 1011?

Will 1011 be accepted by the NFA?

And 110?

# NFA Accepting Words of Length Divisible by 3 or by 5

Let  $\Sigma = \{1\}$ .



What would be the equivalent DFA?

# Non-deterministic Finite Automata


**Definition:** A *non-deterministic finite automaton* (NFA) is a 5-tuple  $(Q, \Sigma, \delta, q_0, F)$  consisting of:

- 1 A finite set  $Q$  of *states*;
- 2 A finite set  $\Sigma$  of *symbols* (alphabet);
- 3 A “partial” *transition function*  $\delta : Q \times \Sigma \rightarrow \mathcal{P}ow(Q)$ ;
- 4 A *start state*  $q_0 \in Q$ ;
- 5 A set  $F \subseteq Q$  of *final or accepting states*.

**Note:** We do not need a *dead* state here.

## Example: NFA

Define an automaton accepting only the words over  $\{0, 1\}$  such that the second last symbol from the right is 1.



$\delta$	0	1
$\rightarrow q_0$	$\{q_0\}$	$\{q_0, q_1\}$
$q_1$	$\{q_2\}$	$\{q_2\}$
$*q_2$	$\emptyset$	$\emptyset$

**Note:** Observe the “moves” from  $q_2$ .

$\delta(q, a) = \emptyset$  means the NFA gets “stuck” when reading  $a$  in state  $q$

Compare with a “dead” state in a DFA.

## Extending the Transition Function to Strings

As before, we define  $\hat{\delta}(q, x)$  by recursion on  $x$ .

**Definition:**

$$\begin{aligned}\hat{\delta} &: Q \times \Sigma^* \rightarrow \mathcal{P}ow(Q) \\ \hat{\delta}(q, \epsilon) &= \{q\} \\ \hat{\delta}(q, ax) &= \bigcup_{p \in \delta(q, a)} \hat{\delta}(p, x)\end{aligned}$$

That is, if  $\delta(q, a) = \{p_1, \dots, p_n\}$  then

$$\hat{\delta}(q, ax) = \hat{\delta}(p_1, x) \cup \dots \cup \hat{\delta}(p_n, x)$$

## Language Accepted by a NFA

**Definition:** The *language* accepted by the NFA  $N = (Q, \Sigma, \delta, q_0, F)$  is the set  $\mathcal{L}(N) = \{x \in \Sigma^* \mid \hat{\delta}(q_0, x) \cap F \neq \emptyset\}$ .

That is, a word  $x$  is accepted if  $\hat{\delta}(q_0, x)$  contains at least one accepting state.

**Note:** Again, we could write a program that simulates a NFA and let it tell us whether a certain string is accepted or not.

**Exercise:** Do it!

# Transforming a NFA into a DFA

For some examples it is much simpler to define a NFA than a DFA.

**Example:** The language with words of length divisible by 3 or by 5.

However, any language accepted by a NFA is also accepted by a DFA.


In general, the number of states of the DFA is about the number of states in the NFA although it often has many more transitions.

In the worst case, if the NFA has  $n$  states, a DFA accepting the same language might have  $2^n$  states.

The *algorithm* transforming a NFA into an equivalent DFA is called the *subset construction*.

## Example: Subset Construction

Let us convert this NFA into a DFA



The DFA starts from  $\{q_0\}$ .

From  $\{q_0\}$ , with 0, we go to  $q_0$  so  $\delta_D(\{q_0\}, 0) = \{q_0\}$ .

From  $\{q_0\}$ , with 1, we go to  $q_0$  or to  $q_1$ . Then,  $\delta_D(\{q_0\}, 1) = \{q_0, q_1\}$ .


From  $\{q_0, q_1\}$ , with 0, we go to  $q_0$  or to  $q_2$ . Then,  $\delta_D(\{q_0, q_1\}, 0) = \{q_0, q_2\}$ .

From  $\{q_0, q_1\}$ , with 1, we go to  $q_0$  or  $q_1$  or  $q_2$ . Then,  $\delta_D(\{q_0, q_1\}, 1) = \{q_0, q_1, q_2\}$ .

etc...

## Example: Subset Construction (cont.)

The complete (and accessible part of the) DFA from the previous NFA is:



The DFA *remembers* the last two bits seen and accepts a word if the next-to-last bit is 1.

## The Subset Construction

**Definition:** Given a NFA  $N = (Q_N, \Sigma, \delta_N, q_0, F_N)$  we construct a DFA  $D = (Q_D, \Sigma, \delta_D, \{q_0\}, F_D)$  as follows:

- $Q_D = \mathcal{P}ow(Q_N)$ ;
- $\delta_D : Q_D \times \Sigma \rightarrow Q_D$  (that is,  $\delta_D : \mathcal{P}ow(Q_N) \times \Sigma \rightarrow \mathcal{P}ow(Q_N)$ )  
 $\delta_D(X, a) = \bigcup_{q \in X} \delta_N(q, a)$ ;
- $F_D = \{S \subseteq Q_N \mid S \cap F_N \neq \emptyset\}$ .

**Note:** We will later see (slide 21) that  $\mathcal{L}(D) = \mathcal{L}(N)$ !

**Note:** By only computing the *accessible* states (from the start state) we are able to keep the total number of states to 4 (and not 8) in the previous example.

**Exercise:** Implement the subset construction!

## Remarks of the Subset Construction

- If  $|Q_N| = n$  then  $|Q_D| = 2^n$ .  
*Non accessible* states in  $Q_D$  can be safely removed (we will see how to do this later on in the course).

- If  $X = \{q_1, \dots, q_n\}$  then  $\delta_D(X, a) = \delta_N(q_1, a) \cup \dots \cup \delta_N(q_n, a)$ .

$$\delta_D(\emptyset, a) = \emptyset$$

$$\delta_D(\{q\}, a) = \delta_N(q, a)$$

$$\delta_D(X, a) = \bigcup_{q \in X} \delta_D(\{q\}, a)$$

$$\delta_D(X_1 \cup X_2, a) = \delta_D(X_1, a) \cup \delta_D(X_2, a)$$


- Each accepting state (set)  $S$  in  $F_D$  contains at least one accepting state of  $N$ .

## Example: NFA Representation of Gilbreath's Principle

Let us shuffle 2 non-empty alternating decks of cards, one starting with a red card and one starting with a black one.

How does the resulting deck look like?

Let  $\Sigma = \{B, R\}$  represent a black or red card respectively.




$q_0$  starts with B and R  
 $q_1$  both start with B  
 $q_2$  both start with R  
 $q_3$  starts with B and  $\epsilon$   
 $q_4$  starts with R and  $\epsilon$   
 $q_5$  both  $\epsilon$

How does the resulting deck look like? We can build the corresponding DFA!



## Example: DFA Representation of Gilbreath's Principle



How does the resulting deck look like?

## Application of NFA: Text Search

Suppose we want to find occurrences of certain *keywords* in a text.

We could design a NFA that enters in an accepting state when it has recognised one of these keywords.


Then we could either implement the NFA or transform it to a DFA and get a “deterministic” (efficient) program.

Once we prove the subset construction correct, then we know the DFA will be correct (if the NFA is!).

This is a good example of a derivation of a *program* (the DFA) from a *specification* (the NFA).

# Application of NFA: Text Search


The following (easy to write) NFA searches for the keywords web and ebay:



# Application of NFA: Text Search (Cont.)

If one applies the subset construction one obtains the following (complicated) DFA.

The obtained DFA has the same number of states as the NFA, but it is much more difficult to define directly!



## Towards the Correction of the Subset Construction

**Proposition:**  $\forall x. \forall q. \hat{\delta}_N(q, x) = \hat{\delta}_D(\{q\}, x)$ .

**Proof:** By (structural) induction on  $x$  we prove  $P(x) : \forall q. \hat{\delta}_N(q, x) = \hat{\delta}_D(\{q\}, x)$ .

*Base case:* trivial.

*Inductive step:* Assuming our IH  $P(x)$  we prove  $P(ax)$ .

$$\begin{aligned} \hat{\delta}_N(q, ax) &= \bigcup_{p \in \delta_N(q, a)} \hat{\delta}_N(p, x) && \text{by definition of } \hat{\delta}_N \\ &= \bigcup_{p \in \delta_N(q, a)} \hat{\delta}_D(\{p\}, x) && \text{by IH with state } p \\ &= \hat{\delta}_D(\delta_N(q, a), x) && \text{see lemma below} \\ &= \hat{\delta}_D(\delta_D(\{q\}, a), x) && \text{remark on slide 14} \\ &= \hat{\delta}_D(\{q\}, ax) && \text{by definition of } \hat{\delta}_D \end{aligned}$$

**Lemma:** For all words  $x$  and sets of states  $S$ ,  $\hat{\delta}_D(S, x) = \bigcup_{p \in S} \hat{\delta}_D(\{p\}, x)$ .

## Correction of the Subset Construction

**Theorem:** Given a NFA  $N$ , if  $D$  is the DFA constructed from  $N$  by the subset construction then  $\mathcal{L}(N) = \mathcal{L}(D)$ .

**Proof:**  $x \in \mathcal{L}(N)$  iff  $\hat{\delta}_N(q_0, x) \cap F_N \neq \emptyset$  iff  $\hat{\delta}_N(q_0, x) \in F_D$ .

By the previous proposition, then  $\hat{\delta}_D(\{q_0\}, x) \in F_D$ .

Since  $\{q_0\}$  is the starting state in  $D$ , then  $x \in \mathcal{L}(D)$ .

## Equivalence between DFA and NFA

**Theorem:** A language  $\mathcal{L}$  is accepted by some DFA iff  $\mathcal{L}$  is accepted by some NFA.

**Proof:** The “if” part is the result of the *correctness of subset construction*.

For the “only if” part we need to transform the DFA into a NFA.

*Intuitively:* each DFA can be seen as a NFA where there exists only one choice at each stage.

*Formally:* given  $D = (Q, \Sigma, \delta_D, q_0, F)$  we define  $N = (Q, \Sigma, \delta_N, q_0, F)$  such that  $\delta_N(q, a) = \{\delta_D(q, a)\}$ .

It only remains to show (by structural induction on  $x$ ) that if  $\hat{\delta}_D(q_0, x) = p$  then  $\hat{\delta}_N(q_0, x) = \{p\}$ .

## Regular Languages

**Recall:** A language  $\mathcal{L} \subseteq \Sigma^*$  is *regular* iff there exists a DFA  $D$  on the alphabet  $\Sigma$  such that  $\mathcal{L} = \mathcal{L}(D)$ .

**Proposition:** A language  $\mathcal{L} \subseteq \Sigma^*$  is *regular* iff there exists a NFA  $N$  such that  $\mathcal{L} = \mathcal{L}(N)$ .

**Proof:** If  $\mathcal{L}$  is regular then  $\mathcal{L} = \mathcal{L}(D)$  for some DFA  $D$ .

To  $D$  we can associate a NFA  $N_D$  such that  $\mathcal{L}(D) = \mathcal{L}(N_D)$  (see previous theorem).

In the other direction, if  $\mathcal{L} = \mathcal{L}(N)$  for some NFA  $N$  then, the subset construction gives a DFA  $D$  such that  $\mathcal{L}(N) = \mathcal{L}(D)$  so  $\mathcal{L}$  is regular.

# Overview of Next Lecture

Sections 2.3.6, 2.5–2.5.5:

- More on NFA;
- NFA with  $\epsilon$ -transitions;
- Equivalence between DFA and  $\epsilon$ -NFA.