

Semantic Analysis of Normalization by Evaluation for Fitch-Style Modal Lambda Calculi

Nachiappan Valliappan¹, Fabian Ruch, and Carlos Tomé Cortiñas¹

¹Chalmers University of Technology

Fitch-style modal lambda calculi (Borghuis 1994; Clouston 2018) provide a solution to programming necessity modalities (denoted by a \Box) in a typed lambda calculus by extending the typing context with a delimiting operator (denoted by a \blacksquare). In this work, we perform a semantic analysis of *normalization by evaluation* (NbE) (Berger and Schwichtenberg 1991) for Fitch-style modal lambda calculi by beginning with the calculus λ_{IK} —a system for the most basic modal logic IK (for “intuitionistic” and “Kripke”)—as our object of study. We construct an NbE model for λ_{IK} , and show that it is an instance of the possible-worlds semantics for IK. The presented NbE procedure has been formalized (Valliappan 2020–2021) in the proof assistant Agda (Abel et al. 2005–2021).

The Fitch-style modal lambda calculus under consideration. IK extends intuitionistic propositional logic with the *necessity modality* \Box , the *necessitation rule* (if $\cdot \vdash A$ then $\Gamma \vdash \Box A$) and the *K axiom* ($\Box(A \rightarrow B) \rightarrow \Box A \rightarrow \Box B$). Correspondingly, λ_{IK} extends the simply-typed lambda calculus (STLC) with the typing rules in Figure 1. The rules for λ -abstraction and function application are formulated in the usual way—but note the modified variable rule!

$$\begin{array}{c}
 \text{Ty} \quad A ::= \dots \mid \Box A \\
 \\
 \frac{}{\Gamma, x : A, \Gamma' \vdash x : A} \blacksquare \notin \Gamma' \qquad \frac{\Gamma, \blacksquare \vdash t : A}{\Gamma \vdash \text{box } t : \Box A} \qquad \frac{\Gamma \vdash t : \Box A}{\Gamma, \blacksquare, \Gamma' \vdash \text{unbox } t : A} \blacksquare \notin \Gamma' \\
 \text{Ctx} \quad \Gamma ::= \cdot \mid \Gamma, x : A \mid \Gamma, \blacksquare
 \end{array}$$

Figure 1: Typing rules for λ_{IK} (omitting λ -abstraction and application)

The NbE model for λ_{IK} . NbE is the process of *evaluating*, or interpreting, terms of a calculus in a suitable model and then *reifying*, or extracting, normal forms from values in that model. NbE for STLC can be performed by interpreting types and contexts as *covariant* presheaves over the category W of contexts Γ, Δ and order-preserving embeddings (OPEs) $e : \Gamma \leq \Delta$, and terms as natural transformations (Altenkirch, Hofmann, and Streicher 1995). Given that the category of presheaves \widehat{W} is a cartesian closed category (CCC), the evaluation function $(\llbracket _ \rrbracket) : \Gamma \vdash A \rightarrow \llbracket \Gamma \rrbracket \rightarrow \llbracket A \rrbracket$ is given by the standard interpretation of STLC in a CCC. The reification function, on the other hand, is given by a family of natural transformations $\downarrow^A : \llbracket A \rrbracket \rightarrow \text{Nf } A$, where the presheaf $\text{Nf } A$ denotes normal forms of type A .

To achieve NbE for λ_{IK} , we define a new category W_{\blacksquare} akin to W by requiring that morphisms additionally preserve locks and refer to the resulting notion of context embedding as *OLPE*. Note that whenever there is an OLPE $e : \Gamma \leq \Delta$ then Δ has the exact same number of locks as Γ . Further, we extend the interpretation of types and contexts to the type former \Box and the context operator \blacksquare . Clouston (2018) shows that λ_{IK} can be soundly interpreted in a CCC equipped with an adjunction $\text{Lock} \dashv \text{Box}$ of endofunctors by interpreting \Box by the right adjoint Box and \blacksquare by the left adjoint Lock . Following this soundness result, we can use the CCC $\widehat{W}_{\blacksquare}$ as our new NbE model, after equipping it with an adjunction. By virtue of

our definition of this adjunction (given in Figure 2), the evaluation of `box` and `unbox` is given by the *generic* interpreter of Clouston (2018), and we can construct natural transformations $\downarrow^{\square A} : \text{Box } \llbracket A \rrbracket \rightarrow \text{Nf } \square A$, for every type A —thus retaining reification.

We summarize the data part of the NbE model for the modal fragment of λ_{IK} in Figure 2 as definitions in a constructive type-theoretic metalanguage. A presheaf \mathcal{A} over W_{\blacksquare} consists of a family of sets \mathcal{A}_{Γ} indexed by contexts Γ , and a family of functions $\text{wk}_e : \mathcal{A}_{\Gamma} \rightarrow \mathcal{A}_{\Gamma'}$ indexed by OLPEs $e : \Gamma \leq \Gamma'$. The *reflection* function \uparrow^A defines a natural transformation from the presheaf of neutral terms $\text{Ne } A$, and can be used to construct an element $\text{id}_{\text{s}}^{\Gamma} : \llbracket \Gamma \rrbracket_{\Gamma}$. Normalization for a term $\Gamma \vdash t : A$ is then given by $\downarrow_{\Gamma}^A((\text{t})(\text{id}_{\text{s}}^{\Gamma}))$.

$$\begin{array}{c}
\frac{x : \mathcal{A}_{\Gamma, \blacksquare}}{\mathbf{box } x : \text{Box}_{\Gamma} \mathcal{A}} \qquad \frac{x : \mathcal{A}_{\Gamma}}{\mathbf{lock } x : \text{Lock}_{\Gamma, \blacksquare, \Gamma'} \mathcal{A}} \blacksquare \notin \Gamma' \\
\\
\begin{array}{lll}
\llbracket _ \rrbracket : \text{Ty} \rightarrow \widehat{W}_{\blacksquare} & (_) : \Gamma \vdash A \rightarrow \llbracket \Gamma \rrbracket_{\Delta} \rightarrow \llbracket A \rrbracket_{\Delta} & \downarrow_{\Gamma}^A : \llbracket A \rrbracket_{\Gamma} \rightarrow \text{Nf}_{\Gamma} A \\
\llbracket \square A \rrbracket_{\Gamma} = \text{Box}_{\Gamma} \llbracket A \rrbracket & (\mathbf{box } \text{t}) \gamma = \mathbf{box } ((\text{t}) \gamma) & \downarrow_{\Gamma}^{\square A} (\mathbf{box } x) = \mathbf{box } (\downarrow_{\Gamma, \blacksquare}^A x) \\
\llbracket _ \rrbracket : \text{Ctx} \rightarrow \widehat{W}_{\blacksquare} & (\mathbf{unbox } \text{t}) \langle \gamma, _ \rangle = (\mathbf{unbox } \text{t}) \gamma & \uparrow_{\Gamma}^A : \text{Ne}_{\Gamma} A \rightarrow \llbracket A \rrbracket_{\Gamma} \\
\llbracket \Delta, \blacksquare \rrbracket_{\Gamma} = \text{Lock}_{\Gamma} \llbracket \Delta \rrbracket & (\mathbf{unbox } \text{t}) (\mathbf{lock } \gamma) = \text{wk } x & \uparrow_{\Gamma}^{\square A} n = \mathbf{box } (\uparrow_{\Gamma, \blacksquare}^A (\mathbf{unbox } n)) \\
& \text{where } \mathbf{box } x = (\text{t}) \gamma &
\end{array}
\end{array}$$

Figure 2: NbE for the modal fragment of λ_{IK}

Connection with possible-worlds semantics. Analogously to how the NbE model for STLC can be seen as an instance of the Kripke semantics of IPL, the NbE model we present here can be seen as an instance of the possible-worlds semantics of IK. Hence, the observation that the NbE model construction for STLC corresponds to the completeness proof for Kripke semantics (C. Coquand 1993; T. Coquand and Dybjer 1997) carries over to the setting here.

The possible-worlds semantics for IK is parameterized by a *frame*, i.e. a type W together with two binary relations \leq and R on W which are required to satisfy certain conditions (Božić and Došen 1984; Došen 1985; Simpson 1994): 1. \leq is reflexive, 2. \leq is transitive, 3. if $w \leq w'$ and $w' R v'$ then there exists $v : W$ such that $w R v$ and $v \leq v'$, and 4. if $w R v$ and $v \leq v'$ then there exists $w' : W$ such that $w \leq w'$ and $w' R v'$. An element $w : W$ can be thought of as a representation of the “knowledge state” about some “possible world” at a certain point in time; $w \leq w'$ as representing an increase in knowledge; and $w R v$ as specifying accessibility of worlds from one another.

Given a frame (W, \leq, R) , the possible-worlds semantics interprets a formula A at $w : W$ as the presheaf $\mathcal{A}(w)$ over (W, \leq) . The interpretation of $\square A$ at w is the type of functions p assigning an element $p(v) : \mathcal{A}(v)$ to every $v : W$ such that $w R v$. Note that, by virtue of the frame conditions, the interpretation of \square extends to a functor `Box` on the category of presheaves and that `Box` has a left adjoint `Lock`. Hence, the possible-worlds semantics fits into the semantic framework of Clouston (2018). The left adjoint `Lock` can be described directly as mapping \mathcal{A} and $w : W$ to the type of pairs $\langle v, a \rangle$ where $v : W$ such that $v R w$ and $a : \mathcal{A}(v)$.

Now, we observe that the NbE model for λ_{IK} can be seen as the possible-worlds model where we pick Fitch-style contexts for W , OLPEs for \leq , extensions by a \blacksquare for R , i.e. $\Gamma R \Delta$ if and only if there exists Γ' such that $\blacksquare \notin \Gamma'$ and $\Delta = \Gamma, \blacksquare, \Gamma'$ (cf. Figures 1 and 2), and normal forms as the interpretation of base types. Note that the required frame conditions are satisfied.

References

- Abel, Andreas (2019). *Normalization by Evaluation for Call-by-Push-Value — Towards a Modal-Logical Reconstruction of NbE*. URL: <https://www.cse.chalmers.se/~abela/talkTYPES2019.pdf>.
- Abel, Andreas et al., *Agda 2* version 2.6.1.3, 2005–2021. Chalmers University of Technology and Gothenburg University. LIC: BSD3. URL: <https://wiki.portal.chalmers.se/agda/pmwiki.php>, VCS: <https://github.com/agda/agda>.
- Alechina, Natasha et al. (2001). “Categorical and Kripke Semantics for Constructive S4 Modal Logic”. In: *Computer Science Logic, 15th International Workshop, CSL 2001. 10th Annual Conference of the EACSL, Paris, France, September 10-13, 2001, Proceedings*. Ed. by Laurent Fribourg. Vol. 2142. Lecture Notes in Computer Science. Springer, pp. 292–307. DOI: [10.1007/3-540-44802-0_21](https://doi.org/10.1007/3-540-44802-0_21). URL: https://doi.org/10.1007/3-540-44802-0_21.
- Altenkirch, Thorsten, Martin Hofmann, and Thomas Streicher (1995). “Categorical Reconstruction of a Reduction Free Normalization Proof”. In: *Category Theory and Computer Science, 6th International Conference, CTCS ’95, Cambridge, UK, August 7-11, 1995, Proceedings*. Ed. by David H. Pitt, David E. Rydeheard, and Peter T. Johnstone. Vol. 953. Lecture Notes in Computer Science. Springer, pp. 182–199. DOI: [10.1007/3-540-60164-3_27](https://doi.org/10.1007/3-540-60164-3_27). URL: https://doi.org/10.1007/3-540-60164-3_27.
- Bak, Miętek (2017). *An Agda formalisation of a normalisation by evaluation procedure for the λ_{\square} -calculus*. URL: <https://github.com/mietek/imla2017>.
- Berger, Ulrich and Helmut Schwichtenberg (1991). “An Inverse of the Evaluation Functional for Typed lambda-calculus”. In: *Proceedings of the Sixth Annual Symposium on Logic in Computer Science (LICS ’91), Amsterdam, The Netherlands, July 15-18, 1991*. IEEE Computer Society, pp. 203–211. DOI: [10.1109/LICS.1991.151645](https://doi.org/10.1109/LICS.1991.151645). URL: <https://doi.org/10.1109/LICS.1991.151645>.
- Boespflug, Mathieu and Brigitte Pientka (2011). “Multi-level Contextual Type Theory”. In: *Proceedings Sixth International Workshop on Logical Frameworks and Meta-languages: Theory and Practice, LFMTP 2011, Nijmegen, The Netherlands, August 26, 2011*. Ed. by Herman Geuvers and Gopalan Nadathur. Vol. 71. EPTCS, pp. 29–43. DOI: [10.4204/EPTCS.71.3](https://doi.org/10.4204/EPTCS.71.3). URL: <https://doi.org/10.4204/EPTCS.71.3>.
- Borghuis, V.A.J. (1994). “Coming to terms with modal logic : on the interpretation of modalities in typed lambda-calculus”. PhD thesis. Mathematics and Computer Science. DOI: [10.6100/IR427575](https://doi.org/10.6100/IR427575).
- Božić, Milan and Kosta Došen (1984). “Models for normal intuitionistic modal logics”. In: *Studia Logica* 43.3, pp. 217–245. ISSN: 0039-3215. DOI: [10.1007/BF02429840](https://doi.org/10.1007/BF02429840). URL: <https://doi.org/10.1007/BF02429840>.
- Clouston, Ranald (2018). “Fitch-Style Modal Lambda Calculi”. In: *Foundations of Software Science and Computation Structures - 21st International Conference, FOSSACS 2018, Held as Part of the European Joint Conferences on Theory and Practice of Software, ETAPS 2018, Thessaloniki, Greece, April 14-20, 2018, Proceedings*. Ed. by Christel Baier and Ugo Dal Lago. Vol. 10803. Lecture Notes in Computer Science. Springer, pp. 258–275. DOI: [10.1007/978-3-319-89366-2_14](https://doi.org/10.1007/978-3-319-89366-2_14). URL: https://doi.org/10.1007/978-3-319-89366-2_14.
- Coquand, Catarina (1993). “From Semantics to Rules: A Machine Assisted Analysis”. In: *Computer Science Logic, 7th Workshop, CSL ’93, Swansea, United Kingdom, September 13-17, 1993, Selected Papers*. Ed. by Egon Börger, Yuri Gurevich, and Karl Meinke. Vol. 832. Lec-

- ture Notes in Computer Science. Springer, pp. 91–105. DOI: [10.1007/BFb0049326](https://doi.org/10.1007/BFb0049326). URL: <https://doi.org/10.1007/BFb0049326>.
- Coquand, Thierry and Peter Dybjer (1997). “Intuitionistic Model Constructions and Normalization Proofs”. In: *Math. Struct. Comput. Sci.* 7.1, pp. 75–94. DOI: [10.1017/S0960129596002150](https://doi.org/10.1017/S0960129596002150). URL: <https://doi.org/10.1017/S0960129596002150>.
- Došen, Kosta (1985). “Models for stronger normal intuitionistic modal logics”. In: *Stud Logica* 44.1, pp. 39–70. DOI: [10.1007/BF00370809](https://doi.org/10.1007/BF00370809). URL: <https://doi.org/10.1007/BF00370809>.
- Gratzer, Daniel, Jonathan Sterling, and Lars Birkedal (2019). “Implementing a modal dependent type theory”. In: *Proc. ACM Program. Lang.* 3.ICFP, 107:1–107:29. DOI: [10.1145/3341711](https://doi.org/10.1145/3341711). URL: <https://doi.org/10.1145/3341711>.
- Plotkin, Gordon D. and Colin Stirling (1986). “A Framework for Intuitionistic Modal Logics”. In: *Proceedings of the 1st Conference on Theoretical Aspects of Reasoning about Knowledge, Monterey, CA, USA, March 1986*. Ed. by Joseph Y. Halpern. Morgan Kaufmann, pp. 399–406.
- Simpson, Alex K. (1994). “The proof theory and semantics of intuitionistic modal logic”. PhD thesis. University of Edinburgh, UK. URL: <http://hdl.handle.net/1842/407>.
- Valliappan, Nachiappan (2020–2021). *Mechanisation of Fitch-style Intuitionistic K in Agda*. URL: <https://github.com/nachivpn/k>.